

YOUR
PROFESSIONAL
KITCHEN,
YOUR STYLE.






"EVERY FAMILY
HAS A SECRET
AND THE SECRET IS
THAT IT'S NOT LIKE
OTHER FAMILIES.

(Alan Bennett)

Steel story is a family story. It starts in 1922 when Angelo Po, set up his original company and his craftsmanship in stainless steel helped in producing the first hand made stoves and later, the production of high quality appliances for restaurants. In 1999 the third generation decided to set up a new activity according to the ways of its grandfather. Their intuition is that to move the technology and the know-how acquired in the production of professional kitchens to the domestic market. Today Steel produces a wide range of stainless steel range cookers with high end functionalities: Steel designs ideas and realizes solutions.





"HOUSES ARE
BUILT TO LIVE IN,
AND NOT TO
LOOK ON."

(Francis Bacon)

Our family, our job, every day's frenzy that give us satisfactions and tiredness. Our houses reflect our life-style: from details to décor everything must be conceived in order to be practical. Today's kitchens are not hidden, they are part of the living area. Cooking is an important moment to share. We talk, listen make projects while cooking. Our five senses are activated, together with our creativity!





"CREATIVITY IS INTELLIGENCE HAVING FUN."

(Albert Einstein)

It is all about who feels like a chef but also desire a safe, stable, long life product. Technology and reliability, to interpret and satisfy everybody's demands. High efficiency burners for traditional cooking, barbecue plates for lovers of griddle cooking, teppanyaki plates to prepare perfect fishes and vegetables, induction for the lovers of a new cooking system, user-friendly, efficient and safe.





"COLOUR IS A POWER
WHICH DIRECTLY
INFLUENCES THE SOUL."

(Wassily Kandinsky)

Warm, cold, neutral, glossy, matt: colours combine with shapes to obtain character environments. It sets the mood, modifies the perception of the environments making them more comfortable and lively.



steel



nero




crema



bordeaux




antracite



sabbia



nuvola



celeste



ametista



Genesi 120 range cooker – Verticale 120 range hood – Genesi side-by-side 90

GENESI

Genesi is the first chapter of Steel story: a complete collection meant to ensure the highest efficiency, like your cooker was a restaurant one. Shaped in the highest quality stainless steel, Genesi has all the features of a professional cooker: strength, safety, and comfort are its keywords. It offers induction and gas hobs, multifunction and combi-steam ovens, refrigerators, range hoods and modular system. Genesi is the perfect combination of style and functionality.





" I'M A MAN OF
SIMPLE TASTES.
I'M ALWAYS SATISFIED
WITH THE BEST. "

(Oscar Wilde)




Fully loaded multifunction ovens (combi-steam, traditional, fan forced, grill functions): griddles, deep trays, wok support, rotisserie, telescopic liners are always included. The right solution for every "family sayings" when it becomes to cooking.





Genesi 90 range cooker – Genesi 90 range hood – Genesi modular system

Components are details which make the difference: the megawok brass burners ensure the highest efficiency in terms of energy saving. The cast iron integrated pan supports are perfectly integrated with the modern design of the burners. Heating distribution is consistent for both low cooking and open flames.




"THE MOST TANGIBLE OF ALL
VISIBLE MYSTERIES – FIRE."

(Leigh Hunt)



Genesi range cooker 100 antracite – Genesi built-in oven 60x60 antracite



"DETAILS MAKE PERFECTION,
AND PERFECTION
IS NOT A DETAIL."

(Leonardo da Vinci)



Metal knobs and handles, cast iron pan supports, cold triple glazed oven doors. Everything is designed to make your kitchen the most ergonomic and easy to use one, with an eye to safety.





Genesi 120 range cooker /frytop – Genesi 120 range hood

To customize your kitchen means to establish the order of things. Steel modular system are meant to meet every single need in terms of space and comfort. Appliances, accessories and stocking areas are a mix of functionality, aesthetics and ergonomics. Steel is the solution for every need.



Genesi 90 cookunit



BUILT-IN

Each to his own cooking system; You can prepare pizza and bread into Steel pizza oven cooking it directly on the stone. It can be combined with a multifunction or combi-steam oven and reaches 315°C to cook a perfect italian pizza in 4 minutes.







Combi-Steam oven are used since long time in professional cooking and make every preparation more tasty. 100% steady humidity into the oven chamber preserves the organoleptic proprieties and flavour of food. Choosing a Combi-Steam oven means cooking as always, with better results.



"TASTE IS THE COMMON
SENSE OF GENIUS."


(Victor Hugo)

Steam cooking is a method of oriental origin that allows to cook food while preserving its best organoleptic and nutritional properties; all this without adding fat, allowing the preparation of healthy and dietary food but at the same time tasty and palatable; while saving time.



Genesi range cooker 120 antracite/combi-steam






HAPPINESS
IS WHEN WHAT
YOU THINK
AND WHAT
YOU SAY,
AND WHAT
YOU DO ARE
IN HARMONY.

(MAHATMA GANDHI)









INDUCTION COOKING



The new Steel flexinduction hobs. The cooking area can be tailored to your needs, enabling you to cook multiple dishes at once. With the flexinduction hobs, you are ready for any situation and can let your creativity reign free.



Induction takes less time to cook food because the pan heats up quicker. Electromagnetic activity in the cooktop triggers electromagnetic sactivity in the pan, and the pan itself heats up. The pan is the starting point of the heat. Since there are fewer steps involved in heating the cookware, it takes less time for the heat to get to the food (25% to 50% less time, on average).



A gas flame releases lots of heat around the pan, an electric burner emits radiant heat at any point where it is not in direct, firm contact with the pan. When heat is generated within the pan itself, as with induction, more of that heat gets to the food, and less of it warms up your kitchen. This means increased energy efficiency.



No flame means no grease fires, and no gas means no gas leaks. Induction hob typically doesn't get all that hot since the heat is created in the pan itself. This means it would be less likely for the cooktop to cause a burn because the pan cools down as soon as you turn off the heat.



Since an induction cooktop seldom gets very hot, food doesn't burn onto it. This means a splatter, a spill or a pasta-sauce pop calls for a quick swipe with a sponge.



Induction cooktops are as responsive as gasbut they also have more settings. It means they allow for much more precise control of the heat for any kind of cooking.



Enfasi range cooker 90 antracite – Enfasi 90 range hood – Genesi french-door 90 antracite

ENFASI

With its modern and linear details Enfasi is studied in the details to be harmoniously matched into each furniture. Enfasi range cookers are made according to the standards of the kitchen furniture manufacturers. The body height and its sizes match those of the furniture cabinets, which allows for a "slot-in" solution. Gas or induction hobs, Enfasi is the core of your kitchen, the power of a professional range cooker into a minimal and classy dress.





Genesi french-door 90 antracite



Enfasi 90 range cooker anthracite –
Enfasi 90 range hood



Enfasi 100 range cooker/induction – Enfasi 100 range hood





Enfasi 90 range hood antracite



"THE ABILITY TO CONVERT IDEAS
TO THINGS IS THE SECRET OF
OUTWARD SUCCESS."

(Henry Ward Beecher)

Clean design with great personality and expressiveness: each component is meant to emphasize functions and to adapt to the furniture. Ergonomic metal handles and knobs, adjustable feet, stocking compartment, double glazed oven door. To choose an Enfasi means to choose the best motor for your kitchen, regardless the body.



"WITHOUT
CRAFTSMANSHIP,
INSPIRATION IS
MERE REED SHAKEN
IN THE WIND."

(Johannes Brahms)

Mumbling of boiling water, crackling of frying oil. Smell, not smoke. Silent and effective, Enfasi stainless steel range hood is A class rated. Four speeds, soft touch buttons, digital display, LED lightening. The Enfasi range hood design is studied to match every interior design.





Enfasi 90 range cooker antracite – Enfasi 90 range hood



Ascot 90 french-door celeste – Ascot 100 range cooker/induction celeste – Ascot 100 range hood celeste

ASCOT

Ascot collection meet the taste of a modern-day interpretation of elegant living in shapes and colours. A British style which smells like apple pie. A range of cookers, modular system, built-in ovens, refrigerators and hoods which ensure professional performances and high technology into a more classic look, travelling backwards in time.





Ascot built-in oven 60x60/combi-steam celeste

A self-confident collection, which find expression of its strength even when appliances are built-in modern and minimal furnitures.



Ascot 90 cooktop/frytop celeste - Ascot 90 range hood celeste



Ascot 100 range cooker sabbia



" COLOUR POSSESSES ME.
I DON'T HAVE TO
PURSUE IT."

(Paul Klee)



chrome



nickel



brass



bronze







"PAST IS NOT A
PACKAGE ONE
CAN LAY AWAY."

(Emily Dickinson)

A cozy atmosphere showers a rain of memories of a simple and real lost world. Combining Ascot elements you can maintain a retro taste with their high technologies, the highest in the market. Range cookers, hoods, refrigerators, modular system, built-in ovens are marked by gently emphasized knobs and an enriching trim.

" ONE CANNOT THINK WELL,
LOVE WELL, SLEEP WELL
IF ONE HAS NOT
DINED WELL."

(Virginia Wolf)



Ascot 100|3 range cooker solid door crema



"TO BE HAPPY AT HOME
IS THE ULTIMATE RESULT
OF ALL AMBITION."

(Samuel Johnson)

When the family meets at home, the kitchen becomes a sacred place and the dining a rite to celebrate together. Cooking becomes a creative masterpiece requiring a specific technique and a perfectly working laboratory. When 4 burners are not enough, what about a 6 burners range cooker? All Genesi and Ascot ranges may be equipped with a barbecue or fry-top grid. As about the ovens, you may choose among single, double or triple multifunction oven models. Steel creates the perfect cooker to serve a perfectly laid table.






Ascot 120 range cooker/frytop/combi-steam antracite



Oxford 100 range cooker/induction nuvola – Oxford 100 range hood nuvola


OXFORD

The newborn of Steel, Oxford collection is very romantic. Decoration and finishing are clearly visible, and soften the strong stainless-steel body matt black painted. An extended color range to emphasize the space, giving an ironic retro style. Oxford introduces range cookers and range hoods for every need, from recreating a country-chic space to break up a minimal interior design.





Oxford 100 range cooker / induction nuvolare
100 range hood nuvolare



Ascot built-in side-by-side refrigerator



Oxford 90 range cooker celeste





Oxford 100 range cooker / induction




"STYLE IS WHAT GIVES
VALUE AND CURRENCY
TO THOUGHTS."

(Arthur Schopenhauer)


An Oxford range cooker talks about details: nero fumo painted body, black enameled hob, showy backsplash with the company name, door hinges, analogic retro clock. Many expedients to highlight the nature of this collection. To reproduce a vintage kitchen, to whom is fascinated by exposed screws, to whom is still in love with American TV shows of the 50's and 60's.

**RANGE COOKERS
GENESI**


GENESI 120




GENESI 120




GENESI 100



GENESI 100



GENESI 100|3




	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	convection 2 functions
main oven	traditional 4 functions		traditional 4 functions	traditional 4 functions	traditional 4 functions
auxiliary oven					grill 4 functions
upper oven	-	-	-	-	
width mm	1172	1172	998	998	998
depth mm	599 body / 625 top				
height mm	898	898	898	898	898
height adjustment mm *	20	20	20	20	20
body material	s.steel Aisi 441				
top material	s.steel Aisi 304				
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	doors and front drawer				
knobs and handles material	metal	metal	metal	metal	metal
standard trim	brushed	brushed	brushed	brushed	brushed
trims on demand	-	-	-	-	-
clock	digital programmer				
main oven	91 lt /s.steel	91 lt /stone grey enamelled	70 lt /s.steel	91 lt /stone grey enamelled	70 lt /s.steel
auxiliary oven	39 lt/stone grey enamelled				
upper oven	-	-	-	-	34 lt/stone grey enamelled
grill main oven	2870 w	2870 w	1950 w	1950 w	-
grill auxiliary oven	1250 w	1250 w	1230 w	1230 w	1230 w
grill upper oven	-	-	-	-	1950 w
temp. min-max main oven	50-270 °C	50-255 °C	50-265 °C	50-255 °C	50-265 °C
temp. min-max auxiliary oven	50-265°C	50-265°C	50-265°C	50-265°C	50-265°C
temp. min-max upper oven	-	-	-	-	50-265°C
oven door(s)	3 glasses				
drawer	s.steel /push-pull/34 lt	s.steel /push-pull/34 lt	s.steel /push-pull/28 lt	s.steel /push-pull/28 lt	s.steel /9 lt
rotisserie	x (main oven)	x (main oven)	x (main oven)	x (main oven)	-
deep tray main oven	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
deep tray auxiliary oven	1 stone grey enamelled				
deep tray upper oven	-	-	-	-	1 stone grey enamelled
wiring shelves main oven	2 s.steel	2 chrome	2 s.steel	2 chrome	1 chrome
wiring shelves auxiliary oven	1 chrome				
wiring shelves upper oven	-	-	-	-	1 chrome
trivet main oven	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
trivet auxiliary oven	1 chrome				
teleopic liners	2 pair	2 pair	2 pair	2 pair	3 pair
pizza stone kit	x	x	x	x	x
recipe book card	x	-	x	-	x
ignition	one-touch	one-touch	one-touch	one-touch	one-touch
models	G12SF-....	G12FF-...	G10SF-...	G10FF-...	G10FFF-...
...-6M	...-6T	...-6B	...-4TM	...-6W	...-4M
...-6M	...-6T	...-6B	...-4TM	...-4BM	...-4T
x	x	x	x	x	x
integrated cast iron pan supports	x	x	x	x	x
cart iron wok support	x	x	x	x	x
auxiliary brass burner 1 kW	1	2	2	1	1
semi-rapid brass burner 1,8 kW	2	1	1	1	1
raipid brass burner 3 kW	1	1	1	1	1
wok brass burner 3,6 kW	2	2	2	1	1
megawok brass burner max 6 kW	1	-	-	1	-
cast iron frytop 2,4 kW	-	1	-	1	-
cast iron bbq 2,4 kW	-	-	1	-	1
induction with booster max 3,7 kW	-	-	-	-	1,85+1,85+ 2,1+2,1+2,1
ans child-lock	-	-	-	-	+2,1+2,1+2,1
flex induction - booster max 7,4 kW	-	-	-	-	-
max consumption kWh	5	7,4	7,4	7,4	11
s.steel 5mm teppanyaki SA-TY	-	●	●	●	-
s.steel 5mm teppanyaki DA-TY	●	-	-	●	●
gas connection left backside	x	x	x	x	x
energy class A	x	x	x	x	x

x = included - ● = on demand - * cooker support pg 67


GENESI 100 3 solid door	GENESI 90	GENESI 90	GENESI 70	GENESI 70	GENESI 70 2
convection 2 functions traditional 4 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	convection 2 functions
grill 4 functions	-	-	-	-	grill 4 functions
998	899	899	698	698	698
599 body / 625 top					
898	898	898	898	898	898
20	20	20	20	20	20
s.steel Aisi 441					
s.steel Aisi 304					
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
doors and front drawer	doors				
metal	metal	metal	metal	metal	metal
brushed	brushed	brushed	brushed	brushed	brushed
digital programmer 70 lt / s.steel	digital programmer 91 lt / s.steel	digital programmer 91 lt / stone grey enamelled	digital programmer 70 lt / s.steel	digital programmer 70 lt / stone grey enamelled	digital programmer 70 lt / stone grey enamelled
39 lt / stone grey enamelled	-	-	-	-	-
34 lt / stone grey enamelled	-	-	-	-	34 lt / stone grey enamelled
-	2870 w	2870 w	1950 w	1950 w	-
1230 w	-	-	-	-	-
1950 w	-	-	-	-	1950 w
50-265 °C	50-270 °C	50-265 °C	50-265 °C	50-265 °C	50-265 °C
50-265 °C	-	-	-	-	-
50-265 °C	-	-	-	-	-
solid 3 glasses	3 glasses	3 glasses	3 glasses	3 glasses	3 glasses
s.steel / 9 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 18 lt	s.steel / push-pull / 18 lt	-
-	x	x	x	x	x (main oven)
1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
1 stone grey enamelled	-	-	-	-	-
1 stone grey enamelled	-	-	-	-	1 stone grey enamelled
1 chrome	1 s.steel	1 chrome	1 chrome	1 chrome	1 chrome
1 chrome	-	-	-	-	-
1 chrome	-	-	-	-	1 chrome
1 chrome	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
1 chrome	-	-	-	-	-
3 pair	1 pair	1 pair	1 pair	1 pair	2 pair
x	x	x	x	x	x
x	x	x	x	x	x
one-touch	one-touch	one-touch	one-touch	one-touch	one-touch
G10FFF-D-...	GgS-...	Ggf-...	G7S-...	G7F-...	G7FF-...
...-6W ...-4M ...-4T ...-5Fl	...-6W ...-4M ...-4T ...-5Fl	...-6W ...-4M ...-4T ...-5Fl	...-4	...-4	...-4
x x x -	x x x -	x x x -	x	x	x
x x x -	x x x -	x x x -	x	x	x
2 1 1 -	2 1 1 -	2 1 1 -	1	1	1
1 1 1 -	1 1 1 -	1 1 1 -	1	1	1
1 1 1 -	1 1 1 -	1 1 1 -	1	1	1
2 1 1 -	2 1 1 -	2 1 1 -	1	1	1
- 1 -	- 1 -	- 1 -	-	-	-
- - 1 -	- - 1 -	- - 1 -	-	-	-
- - -	- - -	- - -	-	-	-
- - - 1,85+1,85 +2,+2,+2,+2	- - - 1,85+1,85 +2,+2,+2,+2	- - - 1,85+1,85 +2,+2,+2,+2	1,85+1,85+2,3+1,4	1,85+1,85+2,3+1,4	1,85+1,85+2,3+1,4
- - - x	- - - x	- - - x	-	-	-
5,67 5,67 8,07 13,07	3,6 3,6 6 11	2,9 2,9 5,3 10,3	3,02	10,42	2,17 9,57 4,24 11,64
- - ● ●	- - ● ●	- - ● ●	-	●	- ●
● ● -	● ● -	● ● -	●	●	● -
x x x -	x x x -	x x x -	x	x	x -
x	x	x	x	x	x

RANGE COOKERS ASCOT


ASCOT 120




ASCOT 120




ASCOT 100



ASCOT 100









ASCOT 100|3








	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	convection 2 functions
main oven					
auxiliary oven	traditional 4 functions	traditional 4 functions			traditional 4 functions
upper oven		-		-	grill 4 functions
width mm	1172	1172	998	998	998
depth mm	599	599	599	599	599
height mm	898	898	898	898	898
height adjustment mm *	20	20	20	20	20
body material	s.steel Aisi 441				
top material	s.steel Aisi 304				
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	side panels, control panel, doors and drawers				
knobs and handles material	metal	metal	metal	metal	metal
standard trim	chrome	chrome	chrome	chrome	chrome
trims on demand	nickel, brass, bronze				
clock	electronic round programmer				
main oven	91 lt /s.steel	91 lt /stone grey enamelled	70 lt /s.steel	91 lt /stone grey enamelled	70 lt /s.steel
auxiliary oven	39 lt /stone grey enamelled				
upper oven	-	-	-	-	34 lt /stone grey enamelled
grill main oven	2870 w	2870 w	1950 w	1950 w	
grill auxiliary oven	1250 w	1250 w	1230 w	1230 w	1230 w
grill upper oven	-	-	-	-	1950 w
temp. min-max main oven	50-270 °C	50-255 °C	50-265 °C	50-255 °C	50-265 °C
temp. min-max auxiliary oven	50-265°C	50-265°C	50-265°C	50-265°C	50-265°C
temp. min-max upper oven	-	-	-	-	50-265°C
oven door(s)	3 glasses	3 glasses	3 glasses	3 glasses	solid 3 glasses
drawer	s.steel / push-pull / 34 lt	s.steel / push-pull / 34 lt	s.steel / push-pull / 28 lt	s.steel / push-pull / 28 lt	s.steel / 9 lt
rotisserie	x (main oven)	x (main oven)	x (main oven)	x (main oven)	-
deep tray main oven	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
deep tray auxiliary oven	1 stone grey enamelled				
deep tray upper oven	-	-	-	-	1 stone grey enamelled
wiring shelves main oven	2 s.steel	2 chrome	2 s.steel	2 chrome	1 chrome
wiring shelves auxiliary oven	1 chrome				
wiring shelves upper oven	-	-	-	-	1 chrome
trivet main oven	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
trivet auxiliary oven	1 chrome				
telecopic liners	2 pair	2 pair	2 pair	2 pair	3 pair
pizza stone kit	x	x	x	x	x
recipe book card	x	-	x	-	x
ignition	one-touch	one-touch	one-touch	one-touch	one-touch
models	A12SF-....	A12FF-....	A10SF-...	A10FF-...	A10FFF-...
	...6M ...6T ...6B ...4TM	...6M ...6T ...6B ...4TM ...4BM	...6W ...4M ...4T ...5FI	...6W ...4M ...4T ...4B ...5FI	...6W ...4M ...4T ...5FI
integrated cast iron pan supports	x x x x	x x x x	x x x -	x x x x	x x x -
cart iron wok support	x x x x	x x x x	x x x -	x x x x	x x x -
auxiliary brass burner 1 kW	1 2 2 1	1 2 2 1	2 1 1 -	2 1 1 1	2 1 1 1
semi-rapid brass burner 1.8 kW	2 1 1 1	2 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
raapid brass burner 3 kW	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
wok brass burner 3.6 kW	2 2 2 1	2 2 2 1	2 1 1 -	2 1 1 1	2 1 1 1
megawok brass burner max 6 kW	1 - - 1	1 - - 1	- 1 -	- 1 -	- 1 -
cast iron frytop 2.4 kW	- 1 - 1	- 1 - 1	- - 1	- - 1	- - 1
cast iron bbq 2.4 kW	- - 1 -	- - 1 -	- - -	- - -	- - -
induction with booster max 3.7 kW ans child-lock	- - - -	- - - -	- - -	1.85+1.85+ 2,1+2,1+2,1	- - -
flex induction - booster max 7.4 kW	- - - -	- - - -	- - -	x - -	- - -
max consumption kWh	5 7.4 7.4 7.4	4.3 6.7 6.7 6.7	4.45 4.45 6.85 11.85	3.6 3.6 6 6	11 5.67 5.67 8.07 13.07
s.steel 5mm teppanyaki SA-TY	- ● ● ●	- ● ● ●	- ● ●	- ● ● ●	- ● ● ●
s.steel 5mm teppanyaki DA-TY	● - - -	● - - -	● ● -	● ● -	● ● -
gas connection left backside	x x x x	x x x x	x x x -	x x x x	x x x -
energy class A	x	x	x	x	x

x = included - ● = on demand - * cooker support pg 67

ASCOT 100|3
solid door

ASCOT 90

ASCOT 90

ASCOT 70

ASCOT 70

ASCOT 70


convection 2 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	convection 2 functions
traditional 4 functions	-	-	-	-	-
grill 4 functions	-	-	-	-	grill 4 functie
998	899	899	698	698	698
599	599	599	599	599	599
898	898	898	898	898	898
20	20	20	20	20	20
s.steel Aisi 441					
s.steel Aisi 304					
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
side panels, control panel, doors and drawers	side panels, control panel, doors				
metal	metal	metal	metal	metal	metal
chrome	chrome	chrome	chrome	chrome	chrome
nickel, brass, bronze					
electronic round programmer					
70 lt./s.steel	91 lt./s.steel	91 lt./stone grey enamelled	70 lt./s.steel	70 lt./stone grey enamelled	70 lt./stone grey enamelled
39 lt./stone grey enamelled	-	-	-	-	-
34 lt./stone grey enamelled	-	-	-	-	34 lt./stone grey enamelled
-	2870 w	2870 w	1950 w	1950 w	-
1230 w	-	-	-	-	-
1950 w	-	-	-	-	1950 w
50-265 °C	50-270 °C	50-265 °C	50-265 °C	50-265 °C	50-265 °C
50-265 °C	-	-	-	-	-
50-265 °C	-	-	-	-	-
3 glasses					
s.steel / 9 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 18 lt	s.steel / push-pull / 18 lt	-
-	x	x	x	x	x (main oven)
1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
1 stone grey enamelled	-	-	-	-	-
1 stone grey enamelled	-	-	-	-	1 stone grey enamelled
1 chrome	1 s.steel	1 chrome	1 chrome	1 chrome	1 chrome
1 chrome	-	-	-	-	-
1 chrome	-	-	-	-	1 chrome
1 chrome	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
1 chrome	-	-	-	-	-
3 pair	1 pair	1 pair	1 pair	1 pair	2 pair
x	x	x	x	x	x
x	x	x	x	x	x
one-touch	one-touch	one-touch	one-touch	one-touch	one-touch
A10FFF-D-...	A9S-...	A9F-...	A7S-...	A7F-...	A7FF-...
...6W ...-4M ...-4T ...-5Fl	...6W ...-4M ...-4T ...-5Fl	...6W ...-4M ...-4T ...-5Fl	...4	...-4I	...4
x x x -	x x x -	x x x -	x	-	x
x x x -	x x x -	x x x -	x	-	x
2 1 1 -	2 1 1 -	2 1 1 -	1	-	1
1 1 1 -	1 1 1 -	1 1 1 -	1	-	1
1 1 1 -	1 1 1 -	1 1 1 -	1	-	1
2 1 1 -	2 1 1 -	2 1 1 -	1	-	1
- 1 -	- 1 -	- 1 -	-	-	-
- - 1 -	- - 1 -	- - 1 -	-	-	-
- - -	- - -	- - -	-	-	-
- - - 1,85+1,85+2,1+2,1+2,1	- - - 1,85+1,85+2,1+2,1+2,1	- - - 1,85+1,85+2,1+2,1+2,1	-	1,85+1,85+2,3+1,4	- 1,85+1,85+2,3+1,4
- - - x	- - - x	- - - x	-	-	-
5,67 5,67 8,07 13,07	3,6 3,6 6 11	2,9 2,9 5,3 10,3	3,02	10,42	2,17 9,57
- - ● ●	- - ● ●	- - ● ●	-	●	- ●
● ● - -	● ● - -	- - -	●	-	● -
x x x -	x x x -	x x x -	x	-	x -
x	x	x	x	x	x

**RANGE COOKERS
ENFASI - OXFORD**
ENFASI 100

ENFASI 90

OXFORD 100

OXFORD 100|3

OXFORD 90


	ENFASI 100	ENFASI 90	OXFORD 100	OXFORD 100 3	OXFORD 90
main oven	multifunction 8 functions	multifunction 8 functions	multifunction 8 functions	multifunction 8 functions	multifunction 8 functions
auxiliary oven	traditional 4 functions	-	traditional 4 functions	traditional 4 functions	-
upper oven	-	-	-	grill 4 functions	-
width mm	998	899	1000	1000	900
depth mm	599	599	600	600	600
height mm	920	920	880	880	880
height adjustment mm *	50	50	20	20	20
backsplash/height	-	-	x/100	x/100	x/100
body material	s.steel Aisi 441	s.steel Aisi 441	nero fumo s.steel Aisi 441	nero fumo s.steel Aisi 441	nero fumo s.steel Aisi 441
top material	s.steel Aisi 304	s.steel Aisi 304	black enamelled	black enamelled	black enamelled
standard colour	s.steel	s.steel	nero fumo	nero fumo	nero fumo
colours on demand	antracite	antracite	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista
colour position	doors and front compartment	door and front compartment	doors and front compartment	doors and front compartment	door and front compartment
knobs and handles material	metal	metal	metal	metal	metal
standard trim	brushed	brushed	<td td="" никель<=""><td td="" никель<=""></td></td>	<td td="" никель<=""></td>	
clock	digital programmer touch control	digital programmer touch control	round retrò analog	round retrò analog	round retrò analog
main oven	70 lt/black enamelled	91 lt/black enamelled	91 lt/black enamelled	91 lt/black enamelled	91 lt/black enamelled
auxiliary oven	39 lt/black enamelled	-	39 lt/black enamelled	39 lt/black enamelled	-
upper oven	-	-	-	34 lt/black enamelled	-
grill main oven	1950 w	2870 w	1950 w	1950 w	2870 w
grill auxiliary oven	1230 w	-	1230 w	1230 w	-
grill upper oven	-	-	-	1950 w	-
temp. min-max main oven	50-265 °C	50-255 °C	50-265 °C	50-265 °C	50-255 °C
temp. min-max auxiliary oven	50-265 °C	-	50-265 °C	50-265 °C	-
temp. min-max upper oven	-	-	-	50-265 °C	-
oven door(s)	2glasses	2glasses	2glasses	2glasses	2glasses
compartment	s.steel / compartment / 28 lt	s.steel / compartment / 25 lt	s.steel / compartment / 28 lt	s.steel / compartment / 9 lt	s.steel / compartment / 25 lt
rotisserie	x (main oven)	x	x (main oven)	-	x
deep trays main oven	1 black enamelled	1 black enamelled	1 black enamelled	1 black enamelled	1 black enamelled
deep trays auxiliary oven	1 black enamelled	-	1 black enamelled	1 black enamelled	-
deep trays upper oven	-	-	-	-	-
wiring shelves main oven	1 chrome	1 chrome	2 chrome	1 chrome	2 chrome
wiring shelves auxiliary oven	1 chrome	-	1 chrome	1 chrome	-
wiring shelves upper oven	-	-	-	1 chrome	-
trivet main oven	-	-	1 chrome	1 chrome	1 chrome
trivet auxiliary oven	-	-	1 chrome	1 chrome	-
trivet upper oven	●	●	●	●	●
telescopic liners SA-GT	●	●	●	●	●
pizza stone kit SA-P7	●	●	●	●	●
ignition	one-touch	one-touch	one-touch	one-touch	one-touch
models	E10FF...	E9F...	X10FF...	X10FFF...	X9F...
	...-6	...-6l	...-6	...-6l	...-6
cast iron pan supports	x	-	x	-	x
cast iron wok support	x	-	x	-	x
aluminium auxiliary burner 1 kW	1	-	1	-	1
aluminium semi-rapid burner 1,8 kW	2	-	2	-	2
aluminium rapid burner 3 kW	2	-	2	-	2
aluminium wok burner 6 kW	1	-	-	-	-
brass wok burner 4,5 kW	-	-	1	-	1
cast iron frytop with s.steel support DA-ST	●	-	●	-	●
cast iron bbq SA-PB*	●	-	-	-	-
induction with booster max 3,7 kW and child lock	-	1,6+1,4+2,4+2,3+1,6	-	1,6+1,4+2,4+2,3+1,6	-
max consumption kWh	3,6	11	2,9	10,3	3,6
s.steel 5 mm teppanyaki SA-TY	-	●	-	●	-
s.steel 5 mm teppanyaki DA-TY	●	-	●	-	●
energy class A	x	x	x	x	x

x = included - ● = on demand - * cooker support pg 67

ACCESSORIES GENESI	GENESI 120	GENESI 100 / 100 3	GENESI 90	GENESI 70 / 70 2
backsplash	SA-AG12	SA-AG10	SA-AG9	SA-AG7
cooker support 5 cm + plinth 10 cm	SA-SZ12	SA-SZ10	SA-SZ9	SA-SZ7
cooker support 3 cm + plinth 8 cm	SA-SZ12-3	SA-SZ10-3	SA-SZ9-3	SA-SZ7-3
s.steel spacer 10 cm	GA-D12	GA-D10	GA-D9	GA-D7
s.steel spacer 5 cm	GA-D12-5	GA-D10-5	GA-D9-5	GA-D7-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX
s.steel splashback	SK120	SK100	SK90	SK70

ACCESSORIES ASCOT	ASCOT 120	ASCOT 100 / 100 3	ASCOT 90	ASCOT 70 / 70 2
backsplash	-	-	-	-
cooker support 5 cm + plinth 10 cm	SA-AZ12	SA-AZ10	SA-AZ9	SA-AZ7
cooker support 3 cm + plinth 8 cm	SA-AZ12-3	SA-AZ10-3	SA-AZ9-3	SA-AZ7-3
s.steel spacer 10 cm	AA-D12	AA-D10	AA-D9	AA-D7
s.steel spacer 5 cm	AA-D12-5	AA-D10-5	AA-D9-5	AA-D7-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX
s.steel splashback	ASK120	ASK100	ASK90	ASK70




ACCESSORIES ENFASI OXFORD	ENFASI 100	ENFASI 90	OXFORD 100 / 100 3	OXFORD 90
backsplash	-	-	-	-
cooker support 5 cm + plinth 10 cm	-	-	SA-XZ10	SA-XZ9
cooker support 3 cm + plinth 8 cm	-	-	-	-
s.steel spacer 10 cm	OA-D10	OA-D9	-	-
s.steel spacer 5 cm	OA-D10-5	OA-D9-5	-	-
plastic feet 40 mm	-	-	-	-
s.steel feet 20 mm	-	-	-	-
s.steel splashback	-	-	-	-

BUILT-IN GENESI

GENESI 60x60





GENESI 60x60

GENESI 90X60






	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions
main oven			
upper oven	-	-	-
width mm	595	595	895
depth mm	550	550	550
height mm	595	595	595
standard colour	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	door	door	door
knobs and handles material	metal	metal	metal
standard trim	brushed	brushed	brushed
clock	digital programmer touch control	digital programmer touch control	digital programmer touch control
main oven	70 lt / s.steel	70 lt /stone grey enamelled	91 lt /s.steel
upper oven	-	-	-
grill main oven	1950 w	1950 w	2870 w
grill upper oven	-	-	-
temp. min-max main oven	50-265 °C	50-265 °C	50-270 °C
temp. min-max upper oven	-	-	-
oven door(s)	3glasses	3glasses	3glasses
drawer	-	-	-
rotisserie	x	x	x
deep trays main oven	1s.steel	1stone grey enamelled	1s.steel
deep trays upper oven	-	-	-
wiring shelves main oven	2s.steel	2 chrome	2s.steel
wiring shelves upper oven	-	-	-
trivet main oven	1s.steel	1chrome	1s.steel
telecopic liners	2 pair	●	2 pair
meat probe	x	-	x
pizza stone kit	x	●	x
recipe book card	x	-	x
models	GFE6-S	GFE6	GFE9-S
max consumption kWh	3,02	2,17	3,6
energy class A	x	x	x

x = included - ● = on demand

GENESI 90x60

GENESI 60x90

GENESI 60x90

GENESI 60x45



multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	grill / pizza 4 functions
-	grill / pizza 4 functions	grill / pizza 4 functions	-
895	595	595	595
550	550	550	550
595	881	881	450
s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
door	doors and front drawer	doors and front drawer	door and front drawer
metal	metal	metal	metal
brushed	brushed	brushed	brushed
digital programmer touch control			
91 lt / stone grey enamelled	70 lt / s.steel	70 lt / stone grey enamelled	34 lt / s.steel
-	34 lt / s.steel	34 lt / stone grey enamelled	-
2870 w	1950 w	1950 w	1950 w
-	2800 w	2800 w	-
50-255 °C	50-265 °C	50-265 °C	50-315 °C
-	50 - 315 °C	50-265 °C	-
3glasses	3glasses	3glasses	3glasses
-	s.steel / push-pull / 10 lt	s.steel / push-pull / 10 lt	s.steel / push-pull / 10 lt
x	x (main oven)	x (main oven)	-
1stone grey enamelled	1s.steel	1stone grey enamelled	1s.steel
-	1s.steel	1stone grey enamelled	-
2chrome	1s.steel	1chrome	1s.steel
-	1s.steel	1chrome	-
1chrome	1s.steel	1chrome	1s.steel
●	3pair	-	●
-	x	-	-
●	x (integrated)	x (integrated)	x (integrated)
-	x	-	-
GFE9	GFFE6-S	GFFE6	GFE6-P
2,9	5,82	4,97	2,08
x	x	x	x

BUILT-IN ASCOT
ASCOT 60x60
ASCOT 60x60
ASCOT 90X60



	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions
main oven			
upper oven	-	-	-
width mm	595	595	895
depth mm	550	550	550
height mm	595	595	595
standard colour	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	frame and door	frame and door	frame and door
knobs and handles material	metal	metal	metal
standard trim	chrome	chrome	chrome
trims on demand	nickel, brass bronze	nickel, brass bronze	nickel, brass bronze
clock	electronic round programmer	electronic round programmer	electronic round programmer
main oven	70 lt / s.steel	70 lt / stone grey enamelled	70 lt / s.steel
upper oven	-	-	-
grill main oven	1950 w	1950 w	2870 w
grill upper oven	-	-	-
temp. min-max main oven	50-265 °C	50-265 °C	50-270 °C
temp. min-max upper oven	-	-	-
oven door(s)	3 glasses	3 glasses	3 glasses
drawer	-	-	-
rotisserie	x	x	x
deep trays main oven	1s.steel	1 stone grey enamelled	1s.steel
deep trays upper oven	-	-	-
wiring shelves main oven	2s.steel	2 chrome	2s.steel
wiring shelves upper oven	-	-	-
trivet main oven	1s.steel	1 chrome	1s.steel
telescopic liners	2 pair	●	2 pair
pizza stone kit	x	●	x
receptenboek aanvraagkaart	x	-	x
models	AFE6-S	AFE6	AFE9-S
max consumption kWh	3,02	2,17	3,6
energy class A	x	x	x

x = included - ● = on demand


ASCOT 90x60



ASCOT 60x90



ASCOT 60x90





multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions
-	grill/pizza oven	grill/pizza oven
895	595	595
550	550	550
595	881	881
s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
frame and door	frame, doors, front drawer	frame, doors, front drawer
metal	metal	metal
chrome	chrome	chrome
nickel, brass bronze	nickel, brass bronze	nickel, brass bronze
electronic round programmer	electronic round programmer	electronic round programmer
91 lt / stone grey enamelled	70 lt s.steel	70 lt / stone grey enamelled
-	34 lt / s.steel	34 lt /stone grey enamelled
2870 w	1950 w	1950 w
-	2800 w	2800 w
50-255 °C	50-265 °C	50-265 °C
-	50 - 315 °C	50-265 °C
3glasses	3glasses	3glasses
-	s.steel / push-pull / 10lt	s.steel / push-pull / 10lt
x	x (main oven)	x (main oven)
1 stone grey enamelled	1s.steel	1 stone grey enamelled
-	1s.steel	1 stone grey enamelled
2 chrome	1s.steel	1 chrome
-	1s.steel	1 chrome
1 chrome	1s.steel	1 chrome
●	3 pair	●
●	x (integrated)	x (integrated)
-	x	-
AFF9	AFFE6-S	AFFE6
2,9	5,82	4,97
x	x	x

COOKTOP

GENESI 120

GENESI 90

ASCOT 90




	width mm 1172	899	899
depth mm	625	625	598
height mm	210	210	210
top material	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304
standard colour	s.steel	s.steel	s.steel
colours on demand	-	-	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position		-	side panels, control panel
knobs and handles material	metal	metal	metal
fstandard trim	brushed	brushed	chrome
trims on demand	-	-	control panel
ignition	one-touch	one-touch	one-touch
models	G12...	G9...	A9...
...-6T	...-6B	...-6	...-6
4354	4354	1810 2611 2611	3444 1810 2611 2611
cast iron pan supports	x	x	-
cast iron wok support	x	x	x x x
aluminium auxiliary burner 1 kW	2	2	2 1 1
aluminium semi-rapid burner 1,8 kW	1	1	1 1 1
aluminium rapid burner 3 kW	1	1	1 1 1
aluminium wok burner 3,6 kW	1	1	2 1 1
aluminium fish burner 1,9 kW	1	-	- - -
cast iron frytop 2,4 kW	1	-	- 1 -
cast iron bbq 2,4 kW	-	1	- - 1 -
induction with booster max 3,7 kW and child lock	-	-	1,85+1,85+ 2,1+2,1+2,1 - - -
flex induction -booster max 7,4 kW	-	-	x - - - x
max consumption kWh	2,4	2,4	0,1 2,4 2,4 7,4 0,1 2,4 2,4 7,4
teppanyaki 5 mm s.steel SA-TY	●	●	- ● ● ● - - -
teppanyaki 5 mm s.steel DA-TY	-	-	● - - -
gas connection left/backside	x	x	x x x -


x = included - ● = on demand

RANGE HOODS


VERTICALE 120




VERTICALE 90




GENESI 120




GENESI 100



GENESI 90



GENESI 70




hood type	recirculatie	recirculatie	luchafvoer	luchafvoer	luchafvoer	luchafvoer
convertible	-	-	recirculatie	recirculatie	recirculatie	recirculatie
width mm	1199	899	1200	1000	900	700
depth mm	150 - 480	150 - 480	550	550	550	550
height mm	600	600	700	700	700	700
height adjustment mm	-	-	300	300	300	300
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel + chrome	s.steel + chrome	s.steel	s.steel	s.steel	s.steel
colours on demand	celeste, sabbia, nuvola, ametista	celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	insert	insert	insert	insert	insert	insert
handles material	-	-	-	-	-	-
standard trim	-	-	-	-	-	-
trims on demand	-	-	-	-	-	-
lightening	LED 5	LED 4	LED 4	LED 4	LED 4	LED 3
dimming	x	x	-	-	-	-
soft-touch integrated control	x	x	x	x	x	x
remote control	x	x	-	-	-	-
speeds	4	4	4	4	4	4
timer	15 min	15 min	15 min	15 min	15 min	15 min
blower delivery	850 m³/h	850 m³/h	800 m³/h	800 m³/h	800 m³/h	800 m³/h
noise level max	61 dB	61 dB	64 dB	64 dB	64 dB	64 dB
energy consumption/year	153 kWh	153 kWh	113 kWh	113 kWh	97 kWh	97 kWh
carbon filters	x/cylinder	x/cylinder	● SA-FKAG	● SA-FKAG	● SA-FKAG	● SA-FKAG
models	GKV120	GKV90	GK120	GK100	GK90	GK70


x = included - ● = on demand

RANGE HOODS


ASCOT 120




ASCOT 100




ASCOT 90




ASCOT 70




ENFASI 100




ENFASI 90



OXFORD 100



OXFORD 90



hood type	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer
convertible	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie
width mm	1172	1000	900	700	999	899	1000	900
depth mm	500	500	500	500	500	500	500	500
height mm	554	554	554	554	820	820	554	554
height adjustment mm	446	446	446	446	300	300	446	446
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	nero fumo	nero fumo	nero fumo
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista
colour position	body & chimney	body & chimney	body & chimney	body & chimney	-	-	body & chimney	body & chimney
handles material	metal	metal	metal	metal	-	-	metal	metal
standard trim	chrome	chrome	chrome	chrome	-	-	nickel	nickel
trims on demand	control panel	control panel	control panel	control panel	-	-	-	-
lightening	LED 4+2	LED 4+2	LED 4+2	LED 3+2	LED 4	LED 4	LED 4+2	LED 4+2
dimming	-	-	-	-	-	-	-	-
soft-touch integrated control	x	x	x	x	x	x	x	x
remote control	-	-	-	-	-	-	-	-
speeds	4	4	4	4	4	4	4	4
timer	15 min	15 min	15 min	15 min	10 min	10 min	15 min	15 min
blower delivery	800 m³/h	800 m³/h	800 m³/h	800 m³/h	800 m³/h	800 m³/h	800 m³/h	800 m³/h
noise level max	64 dB	64 dB	64 dB	64 dB	61 dB	61 dB	64 dB	64 dB
energy consumption/year	66 kWh	66 kWh	66 kWh	66 kWh	64 kWh	64 kWh	66 kWh	66 kWh
carbon filters	● SA-FKS	● SA-FKS	● SA-FKS	● SA-FKS	● SA-FKE	● SA-FKE	● SA-FKS	● SA-FKS
models	AKL120	AKL100	AKL90	AKL70	EK100	EK90	XK100	XK90

x = included - ● = on demand

**MODULAR
SYSTEM
GENESI**

**GENESI 120
WORKING
TABLE**

**GENESI 90
WORKING
TABLE**


**GENESI 70
WORKING
TABLE**

**GENESI 70
WORKING
TABLE**

**GENESI 70
DISHWASHER
UNIT**








**GENESI 120
SINK UNIT**

**GENESI 90
SINK UNIT**



width mm	1172	899	698	698	698	1172	899
depth mm	599 body/625 top						
height mm	898	898	898	898	898	898	898
height adjustment mm *	20	20	20	20	20	20	20
body material	s.steel Aisi 441						
standard colour	s.steel						
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	pull-out drawers front	pull-out drawers front	pull-out drawers front	door front	door front	pull-out drawers front	doors front
handles material	metal						
standard trim	brushed						
trims on demand	-	-	-	-	-	-	-
top material	s.steel	s.steel	s.steel	s.steel	s.steel	2 bowls	2 bowls
built-in oven niche							
upper drawer	push-pull	push-pull	push-pull	push-pull	-	-	-
middle drawer	pull-out	pull-out	pull-out	-	-	pull-out	-
lower drawer	pull-out	pull-out	pull-out	-	-	pull-out	-
door(s)	-	-	-	soft-close	-	-	soft-close
upper compartment	-	-	-	-	-	-	-
models	G12C-P	GgC-P	G7C-P	G7S-P	GLS-7 * prepared for siemens mod. SN... slide door	G12C-L2	GgS-L2
integrated cast iron pan supports							
cast iron wok support							
aluminium auxiliary burner 1 kW							
aluminium semi-rapid burner 1,8 kW							
aluminium rapid burner 3 kW							
aluminium wok burner 3,6 kW							
aluminium fish burner 1,9 kW							
induction with booster max 3,7 kW and child lock							
max consumption kWh							
accessories on demand							
backsplash	SA-AG12	SA-AG9	SA-AG7	SA-AG7	SA-AG7	SA-AG12	SA-AG9
cooker support 5 cm + plinth 10 cm	SA-SZ12	SA-SZ9	SA-SZ7	SA-SZ7	SA-SZ7	SA-SZ12	SA-SZ9
cooker support 3 cm + plinth 8 cm	SA-SZ12-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	SA-SZ7-3	SA-SZ12-3	SA-SZ9-3
s.steel spacer 10 cm	GA-D12	GA-D9	GA-D7	GA-D7	GA-D7	GA-D12	GA-D9
s.steel spacer 5 cm	GA-D12-5	GA-D9-5	GA-D7-5	GA-D7-5	GA-D7-5	GA-D12-5	GA-D9-5
plastic feet 40 mm	SA-PR						
s.steel feet 20 mm	SA-PRX						
wooden chopping board	SA-CPL12	SA-CPL9	SA-CPL7	SA-CPL7	SA-CPL7	-	-
wooden cutlery tray	SA-PP12	SA-PP9	SA-PP7	SA-PP7	-	-	-
wooden dishes and pots organizer	SA-PT12	SA-PT9	SA-PT7	SA-PT7	-	-	-
wooden pins for organizer (3 pcs)	SA-PTKB	SA-PTKB	SA-PTKB	SA-PTKB	-	-	-

x = included - ● = on demand - * cooker support pg 67

**GENESI 90
SINK UNIT****GENESI 70
SINK UNIT****GENESI 90
COOK UNIT****GENESI 70
COLUMN
oven 60X60****GENESI 70
COLUMN
oven 60X90****GENESI 90
WALL UNIT****GENESI 70
WALL UNIT**

899	698	899	698	698	899	899	698
599 body/625 top	599 body/625 top	599 body/625 top	599	599	360	360	360
898	898	898	1750	1750	610	610	610
20	20	20	20	20	-	-	-
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 304	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
doors front	door front	pull-out drawers front	-	-	doors front	doors front	door front
metal	metal	metal	metal	metal	metal	metal	metal
brushed	brushed	brushed	brushed	brushed	brushed	brushed	brushed
-	-	-	-	-	-	-	-
1 big bowl	2 bowls	s.steel Aisi 304	-	-	s.steel	s.steel	s.steel
			60x60 cm	60x90 cm			
-	-	-	push-pull	-	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
soft-close	soft-close	-	-	-	soft-close	soft-close	soft-close
-	-	-	push-pull	push-pull			
G9S-L1G	G7S-P	G9C-6	G9C-5FI	GMS-7FP	GMS-7FFP	G9PS-S	G9PS
x	-						
x	-						
2	-						
1	-						
1	-						
1	-						
1	-						
		1,85+1,85+ 2,1+2,1+2,1					
		0,1	7,4				
SA-AG9	SA-AG7	SA-AG9	SA-AG7	SA-AG7	-	-	-
SA-SZ7	SA-SZ7	SA-SZ9	SA-SZ7	SA-SZ7	-	-	-
SA-SZ9-3	SA-SZ7-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	-	-	-
GA-D9	GA-D7	GA-D9	-	-	-	-	-
GA-D9-5	GA-D7-5	GA-D9-5	-	-	-	-	-
SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	-	-	-
SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	-	-	-
-	-	-	-	-	-	-	-
-	-	SA-PP9	-	-	-	-	-
-	-	SA-PT9	-	-	-	-	-
-	-	SA-PTKB	-	-	-	-	-

**MODULAR
SYSTEM
ASCOT**

**ASCOT 120
WORKING
TABLE**

**ASCOT 90
WORKING
TABLE**








**ASCOT 70
WORKING
TABLE**

**ASCOT 70
WORKING
TABLE**

**ASCOT 70
DISHWASHER
UNIT**









**ASCOT 120
SINK UNIT**

**ASCOT 90
SINK UNIT**









width mm	1172	899	698	698	698	1172	899
depth mm	598	598	598	598	598	598	598
height mm	896	896	896	896	896	896	896
height adjustment mm *	20	20	20	20	20	20	20
body material	s.steel Aisi 441						
standard colour	s.steel						
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista						
colour position	side panels, drawers, doors front	side panels, drawers front	side panels, drawers front	side panels, drawer, door front	side panels, drawer, door front	side panels, doors front	side panels, doors front
handles material	metal						
standard trim	chrome						
trims on demand	control panel						
top material	s.steel	s.steel	s.steel	s.steel	s.steel	2 bowls	2 bowls
built-in oven niche							
upper drawer	pull-out	pull-out	pull-out	pull-out	-	-	-
middle drawer	-	pull-out	pull-out	-	-	-	-
lower drawer	-	pull-out	pull-out	-	-	-	-
door(s)	soft-close	x	-	soft-close	-	soft-close	soft-close
upper compartment							
models	A12S-P	A9C-P	A7C-P	A7S-P	ALS-7* voorbereid siemens mod. SN... slide door	A12S-L2	A9S-L2
integrated cast iron pan supports							
cast iron wok support							
aluminium auxiliary burner 1 kW							
aluminium semi-rapid burner 1,8 kW							
aluminium rapid burner 3 kW							
aluminium wok burner 3,6 kW							
aluminium fish burner 1,9 kW							
induction with booster max 3,7 kW and child lock							
max consumption kWh							
accessories on demand							
backsplash	x	x	x	x	x	x	x
cooker support 5 cm + plinth 10 cm	SA-AZ12	SA-AZ9	SA-AZ7	SA-AZ7	SA-AZ7	SA-AZ12	SA-AZ9
cooker support 3 cm + plinth 8 cm	SA-AZ12-3	SA-AZ9-3	SA-AZ7-3	SA-AZ7-3	SA-AZ7-3	SA-AZ12-3	SA-AZ9-3
s.steel spacer 10 cm	AA-D12	AA-D9	AA-D7	AA-D7	AA-D7	AA-D12	AA-D9
s.steel spacer 5 cm	AA-D12-5	AA-D9-5	AA-D7-5	AA-D7-5	AA-D7-5	AA-D12-5	AA-D9-5
plastic feet 40 mm	SA-PR						
s.steel feet 20 mm	SA-PRX						
wooden chopping board	SA-CPL12	SA-CPL9	SA-CPL7	SA-CPL7	SA-CPL7	-	-
wooden cutlery tray	SA-PP12	SA-PP9	SA-PP7	SA-PP7	-	-	-
wooden dishes and pots organizer	SA-PT12	SA-PT9	SA-PT7	SA-PT7	-	-	-
wooden pins for organizer (3 pcs)	SA-PTKB	SA-PTKB	SA-PTKB	SA-PTKB	-	-	-

x = included - ● = on demand - * cooker support pg 67

**ASCOT 90
SINK UNIT****ASCOT 70
SINK UNIT****ASCOT 90
COOK UNIT****ASCOT 70
COLUMN oven
60x60****ASCOT 70
COLUMN oven
60x90****ASCOT 90
WALL UNIT****ASCOT 90
WALL UNIT****ASCOT 70
WALL UNIT**

899	698	899	698	698	899	899	698
598	598	598	599	599	360	360	360
896	896	896	1750	1750	610	610	610
20	20	20	20	20	-	-	-
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 304	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
side panels, doors front	side panels, door front	side panels, control panel, drawers front	-	-	side panels, doors front	side panels, doors front	side panels, door front
metal	metal	metal	metal	metal	metal	metal	metal
chrome	chrome	chrome	brushed	brushed	chrome	chrome	chrome
control panel	control panel	control panel	control panel	control panel	control panel	control panel	control panel
1 big bowl	2 bowls	s.steel Aisi 304	-	-	s.steel	s.steel	s.steel
			60x60 cm	60x90 cm			
-	-	-	push-pull	-	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
soft-close	soft-close	-	-	-	soft-close	soft-close	soft-close
			push-pull	push-pull			
A9S-L1G	A7S-L2	A9C-6	A9C-5FI	AMS-7FP	AMS-7FFP	G9PS-S	G9PS
		-	-				
		x	-				
		2	-				
		1	-				
		1	-				
		2	-				
		-	-				
		-	1,85+1,85+ 2,1+2,1+2,1				
		0,1	7,4				
x	x	SA-AG9	SA-AG7	SA-AG7	-	-	-
SA-AZ7	SA-AZ7	SA-SZ9	SA-SZ7	SA-SZ7	-	-	-
SA-AZ9-3	SA-AZ7-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	-	-	-
AA-D9	AA-D7	AA-D9	-	-	-	-	-
AA-D9-5	AA-D7-5	AA-D9-5	-	-	-	-	-
SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	-	-	-
SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	-	-	-
-	-	-	-	-	-	-	-
-	-	SA-PP9	-	-	-	-	-
-	-	SA-PT9	-	-	-	-	-
-	-	SA-PTKB	-	-	-	-	-

**REFRIGERATORS
GENESI - ASCOT**
**GENESI 90
SIDE BY SIDE**
**GENESI 90
SIDE BY SIDE
BUILT-IN**
**GENESI 90
FRENCH DOOR**
**ASCOT 90
SIDE BY SIDE**
**ASCOT 90
SIDE BY SIDE
BUILT-IN**
**ASCOT 90
FRENCH DOOR**


	915	915	908	915	915	908
width mm	915	915	908	915	915	908
depth mm	587 body / 687 doors	587 body / 687 doors	600 body / 692 doors	587 body / 687 doors	587 body / 687 doors	600 body / 692 doors
height mm	1966	1716	1780	1966	1716	1780
doors/drawer material	s.steel Aisi 304					
side panels material	s.steel Aisi 304	plastic grey	plastic grey	s.steel Aisi 304	plastic grey	plastic grey
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	doors, side panels	doors	doors, drawer	doors, side panels, upper compartment	doors	doors, drawer
handles material	metal	metal	metal	metal	metal	metal
standard trim	brushed	brushed	brushed	chrome	chrome	chrome
trims on demand	-	-	-	nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze
refrigerator volume lt	370	370	417	370	370	417
freezer volume lt	173	173	119	173	173	119
upper compartment	x	x	-	x	x	-
energy class	A+	A+	A+	A+	A+	A+
freezer rating	****	****	****	****	****	****
energy consumption/year	445 kWh	445 kWh	410 kWh	445 kWh	445 kWh	410 kWh
water/ice dispenser	water/ice	water/ice	water	water/ice	water/ice	water
plumbing	x	x	-	x	x	-
temperature control	electronic	electronic	electronic	electronic	electronic	electronic
no-frost	x	x	x	x	x	x
lightening	LED	LED	LED	LED	LED	LED
shelves material	glass	glass	glass	glass	glass	glass
alarm door open	x	x	x	x	x	x
super cooling	x	x	x	x	x	x
super freezing	x	x	x	x	x	x
xpress can chiller	x	x	-	x	x	-
holiday mode	-	-	x	-	-	x
child lock	x	x	x	x	x	x
water filter	x	x	-	x	x	-
models	GFR-9	GFRB-9	GFR-9F	AFR-9	AFRB-9	AFR-9F

x = included - ● = on demand

NOTE

NOTE

NOTE



STEEL SRL

Via dell'Agricoltura 21
41012 Carpi (Mo) - Italy
T. +39 059 645180
steel@steel-cucine.com

www.steel-cucine.com