



## THE 2018 RANGE COOKER COLLECTION FROM STOVES

We use all of our 100 years of engineering experience to craft the finest, premium cookers, but we never rest on our laurels. We're always challenging ourselves to perfect and enhance our cookers to further improve their performance, ensuring the quality, durability and functionality you would expect from a cooker with its illustrious British heritage.

Our Range Cookers come with market-leading features, including a ground-breaking three to four oven converter, a gas-through-glass hotplate with two 5kW PowerWok Plus<sup>™</sup> burners, Zeus<sup>™</sup> Bluetooth® connected timer, Steam & Infuse<sup>™</sup> cooking accessory, and co-ordinating hoods.



Engineered in Prescot since 1920.

## FEATURES AVAILABLE ACROSS THE COLLECTION





Four oven cavities; Maxi-Grill™/conventional oven®, multifunction oven® with eleven different cooking functions, Equiflow™ fan oven®, and electric slow cook oven®.

Available on all 1000mm and 1100mm models (excluding gas).

The Proflex<sup>™</sup> Splitter<sup>®</sup> gives you the ability to convert the Titan<sup>™</sup> Oven<sup>®</sup> into two separate Equiflow<sup>™</sup> fan ovens. Transforming the 900mm three oven Range Cooker into four ovens. Space flexibility when you need it.



Our two 5kW PowerWok Plus™ burners® with rapid and intense heat are perfect for your favourite stir fry recipe. Providing even heat over a large area, they're not only ideal for wok-cooking, but for high speed cooking with any large pan.

\*On 1000mm and 1100mm Gas-through-glass models only.



This smooth ceramic glass surface<sup>®</sup> gives a stylish and elegant look whilst keeping all the benefits of cooking on gas<sup>®</sup>. This hob includes a powerful 5kW PowerWok Plus<sup>™</sup> burner for rapid and intense heat.

Cook with confidence and wipe clean with ease.





An accessory kit that adds moisture and flavour to your dish turning every meal into a masterpiece. Simply adding water, stock or infused spices to the pot serves to steam from the inside<sup>®</sup>, optimising the taste and texture of your food. All this flavour fast, with an average reduction in cooking time of 20%\*.

Also comes with an accessory for making kebabs.

The Stoves Multifunction Oven provides you with the ultimate in cooking flexibility allowing you to select from eleven different cooking functions<sup>®</sup>: Equiflow<sup>™</sup> fan oven, pizza setting, dough proving, defrost, intensive bake, top heat only, base heat only, base heat with fan, conventional electric oven, variable rate grill and fanned grill.




Using Bluetooth® technology, the Zeus™ free downloadable app® lets you use your smartphone or tablet to control the timer on your oven, save your favourites and automatically update your clock. With Zeus™ you can set the cooking duration and end time, keep an eye on your timer and adjust it without having to be in the kitchen.



Effortlessly smooth gliding double extension telescopic shelves<sup>®</sup> slide out to allow safe and easy access to food, without having to reach into the oven. Even if you're using large pans or heavy dishes you can simply baste, turn and season your food with ease. Fully adjustable, they can be moved to whichever shelf position you need.

(\*Based on cooking a large 2.5kg roast chicken, Liverpool University May 2018)

# MAXI-GRILL™ WITH PRO-TRAC™ TELESCOPIC SLIDERS





Provides even heat over a large area<sup>®</sup>, it's not only ideal for wok cooking but for high speed cooking with any large pan.

## **ADDITIONAL FEATURES**



**EQUIFLOW**<sup>™</sup>

The Equiflow<sup>™</sup> fan oven evenly distributes heat around the full cavity. This naturally results in controlled, consistent cooking.



PERMACOAT PAINT™

Long-lasting, heat resistant paint, as used on the London Shard, that keeps your cooker looking newer for longer.



MAXI-CLOCK™

A large programmable clock and timer, with an easy to read white LED display and simple touch control screen.



UNI-CAST FRAME™

The Uni-cast Range Cooker frame is made from a single piece robust cast steel.



PAN GLIDE™

Unique raised cast iron pan supports allow pans to glide across the top of the cooker with ease and stability.



32 AMP CONNECTION

All of our Induction hobs work on a standard 32 Amp supply.

## **INTRODUCING THE 2018** RANGE COOKER COLLECTION

10

## RICHMOND RANGE COOKER

A modern traditional style with Permacoat Paint™ finish and clearview windows.



## **COLOURS:**




## STERLING RANGE COOKER

A sleek contemporary style with clean lines and mirror door finish.



## COLOURS:



## **FUEL TYPES**



**ELECTRIC** 

GAS

Offering the flexibility of a gas hob and an electric oven, this fuel option allows you to benefit from the controllability of a gas hob and the even temperature distribution of an electric oven.

All electric main ovens feature an Equiflow™ fan and 11 Multifunction setting. They also include a conventional oven in grill and induction hob. Induction works by heating the pan rather than the hob, offering a smarter, faster, safer and greener way to cook. All our induction hobs work on a 32Amp supply.

Gas hobs offer instant heat that is easily controllable through different burner sizes and adjustable flames. Gas ovens also allow for a moist cooking environment, preventing food from drying out so your dishes turn out perfectly every time.

## SIZES

Stoves Range Cookers are available in a number of widths.

900mm

1000mm

1100mm

## **DELUXE MODELS**

Our Deluxe collection of Richmond and Sterling Range Cookers offer four oven cavities on all widths and boast a variety of innovative and unique features, including Bluetooth® technology, powerful 5kW PowerWok Plus™ burners, Pro-Trac™ Telescopic Sliders and a Steam & Infuse™ accessory kit to enhance your cooking experience.











RICHMOND COLLECTION RICHMOND COLLECTION

## A TRADITIONAL RANGE COOKER WITH MODERN, CLEVER FEATURES?

Challenge accepted.



New Richmond Range Cookers have it all



## RICHMOND DELUXE S900DF

900mm Richmond Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, Zeus™ Bluetooth® Connected Timer and 4kW PowerWok™.



Black: 444444897 Classic Cream: 444444898

- 1) 5 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan™ oven with twin Equiflow™ fan

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## RICHMOND DELUXE S900DF GTG

900mm Richmond Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and 5kW PowerWok Plus™.



- (1) 5 burner gas-through-glass hob with 5kW PowerWok Plus™
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan<sup>TM</sup> oven with twin Equiflow™ fan

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## 

## RICHMOND DELUXE S900EI

900mm Richmond Deluxe electric induction Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan<sup>TM</sup> oven with twin Equiflow™ fan

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- 32 Amp connection

## RICHMOND DELUXE S900G

900mm Richmond Deluxe gas Range Cooker. Features include three ovens with 173 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 1) 5 burner gas hob with 4kW PowerWok™
- ② Gas Maxi-Grill™ with Pro-Trac™ Telescopic Sliders
- (3) Conventional gas main oven
- (4) 79 litre Titan™ electric oven with twin Equiflow™ fan

- Proflex<sup>™</sup> Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- · Wok cradle & cast iron dual griddle

Black: 444444905 Classic Cream: 444444906



## RICHMOND DELUXE S1000DF

1000mm Richmond Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 7 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## RICHMOND DELUXE S1000DF GTG

1000mm Richmond Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ burners.



- (1) 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

## Black: 444444909 Classic Cream: 444444910

## RICHMOND DELUXE S1000EI

1000mm Richmond Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



Black: 444444915 Classic Cream: 444444916

- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- 32 Amp connection

## RICHMOND DELUXE S1000G

1000mm Richmond Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 7 burner gas hob with 4kW PowerWok™
- 2 Electric Maxi-Grill<sup>TM</sup> with Pro-Trac™ Telescopic Sliders and conventional gas oven
- (3) Conventional gas main oven
- (4) Conventional gas oven
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- · Wok cradle & cast iron dual griddle

Black: 444444913Classic Cream: 444444914

Black: 444444907 Classic Cream: 444444908

## RICHMOND DELUXE S1100DF

1100mm Richmond Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 1) 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## RICHMOND DELUXE S1100DF GTG

1100mm Richmond Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ Burners.



- (1) 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

Black: 444444919 Classic Cream: 444444920

## RICHMOND DELUXE S1100EI

1100mm Richmond Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- 32 Amp connection

## RICHMOND DELUXE S1100G

1100mm Richmond Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 7 burner gas hob with 4kW PowerWok™
- 2 Electric Maxi-Grill<sup>TM</sup> with Pro-Trac™ Telescopic Sliders and conventional gas oven
- (3) Conventional gas main oven
- (4) Conventional gas oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- · Wok cradle & cast iron dual griddle

- 5 Electric slow cook oven

Black: 444444923 Classic Cream: 444444924

Black: 444444917 Classic Cream: 444444918

Black: 444444925 Classic Cream: 444444926

## RICHMOND S900DF

900mm Richmond dual fuel Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow<sup>TM</sup> fan, 11 Multifunction Oven and 4kW PowerWok<sup>TM</sup>.



- 1) 5 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 87 Litre Titan™ oven with Equiflow™ fan

Pro-Trac™ Telescopic Sliders

- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- Full width grill pan & handle
- A rated ovens

900mm Richmond electric induction Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.

RICHMOND S900EI



- (1) 5 zone induction hob with touch control and ten power settings
- 2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 87 Litre Titan<sup>TM</sup> oven with Equiflow™ fan

20

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Full width grill pan & handle
- · Child lock for hob controls
- A rated ovens
- 32 Amp connection

## Black: 444444445 Classic Cream: 444444446

## RICHMOND S1000DF

1000mm Richmond dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



Black: 444444451 Classic Cream: 444444452

- 7 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- A rated ovens

## RICHMOND S1000EI

1000mm Richmond electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- 5 Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

Black: 444444460 Classic Cream: 444444461

## RICHMOND S1100DF

1100mm Richmond dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



Black: 444444466 Classic Cream: 444444467

- 7 burner gas hob with 4kW PowerWok™
- 2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- A rated ovens

22

- (3) 11 setting Multifunction Oven
- (5) Electric slow cook oven

## RICHMOND S1100EI

1100mm Richmond electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1) 5 zone induction hob with touch control and ten power settings
- 2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- 4 Electric oven with Equiflow™ fan

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection





STERLING COLLECTION STERLING COLLECTION

# A CONTEMPORARY RANGE COOKER WITH MODERN, CLEVER FEATURES?

Challenge accepted.



New Sterling Range Cookers have it all



STERLING DELUXE COLLECTION STERLING DELUXE COLLECTION

## STERLING DELUXE S900DF

900mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, Zeus™ Bluetooth® Connected Timer and 4kW PowerWok™.



- 1) 5 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan™ oven with twin Equiflow™ fan

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## STERLING DELUXE S900DF GTG

900mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and 5kW PowerWok Plus™.



- (1) 5 burner gas-through-glass hob with 5kW PowerWok Plus™
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan<sup>TM</sup> oven with twin Equiflow™ fan

26

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## STERLING DELUXE S900EI

900mm Sterling Deluxe electric induction Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



Black: 444444939 Stainless Steel: 444444940

- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) 79 litre Titan<sup>TM</sup> oven with twin Equiflow™ fan

- Quad Oven<sup>™</sup> with Proflex™ Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- 32 Amp connection

## STERLING DELUXE S900G

900mm Sterling Deluxe gas Range Cooker. Features include three ovens with 173 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 1) 5 burner gas hob with 4kW PowerWok™
- (2) Gas Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders
- (3) Conventional gas main oven
- (4) 79 litre Titan™ electric oven with twin Equiflow™ fan

27

- Proflex<sup>™</sup> Splitter
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- · Wok cradle & cast iron dual griddle

Black: 444444935 Stainless Steel: 444444936

Black: 444444933 Stainless Steel: 444444934

## STERLING DELUXE S1000DF

1000mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## STERLING DELUXE S1000DF GTG

1000mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ burners.



- (1) 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>™</sup>

## ■ Black: 444444943 ■ Stainless Steel: 444444944

## STERLING DELUXE S1000EI

1000mm Sterling Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



Black: 444444949 Stainless Steel: 444444950

- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- 32 Amp connection

## STERLING DELUXE S1000G

1000mm Sterling Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
- (3) Conventional gas main oven
- 4) Conventional gas oven
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- Wok cradle & cast iron dual griddle

■ Black: 444444945 ■ Stainless Steel: 444444946

Black: 444444941 Stainless Steel: 444444942

28

## STERLING DELUXE S1100DF

1100mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



Black: 444444951 Stainless Steel: 444444952

- 1) 7 burner gas hob with 4kW PowerWok™
- (2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>

## STERLING DELUXE S1100DF GTG

1100mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok™ Plus burners.



- (1) 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

## Black: 444444953 Stainless Steel: 444444954

## STERLING DELUXE S1100EI

1100mm Sterling Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



Black: 444444959 Stainless Steel: 444444960

- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- (4) Electric oven with Equiflow<sup>TM</sup> fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- 32 Amp connection

STERLING DELUXE S1100G

1100mm Sterling Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 7 burner gas hob with 4kW PowerWok™
- 2 Electric Maxi-Grill<sup>TM</sup> with Pro-Trac™ Telescopic Sliders and conventional gas oven
- (3) Conventional gas main oven
- (4) Conventional gas oven
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Zeus<sup>TM</sup> Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup> Cook to off
- · Wok cradle & cast iron dual griddle

Black: 444444955 Stainless Steel: 444444956

## STERLING S900DF

900mm Sterling dual fuel Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and 4kW PowerWok™.



- 1) 5 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 87 Litre Titan<sup>™</sup> oven with Equiflow<sup>™</sup> fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- Full width grill pan & handle
- A rated ovens

32

## Black: 444444481 Stainless Steel: 444444482

## STERLING S900EI

900mm Sterling electric induction Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Full width grill pan & handle
- Child lock for hob controls
- A rated ovens
- 32 Amp connection

## ■ Black: 444444487 ■ Stainless Steel: 444444488

## STERLING S1000DF

1000mm Sterling dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 1) 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- A rated ovens

## STERLING S1000EI

1000mm Sterling electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1) 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

33

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

● Black: 444444491 ● Stainless Steel: 444444492

## STERLING S1100DF

1100mm Sterling dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



Black: 444444501 Stainless Steel: 444444502

- 7 burner gas hob with 4kW PowerWok™
- 2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Cast iron dual griddle plate
- A rated ovens

## STERLING S1100EI

1100mm Sterling electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1) 5 zone induction hob with touch control and ten power settings
- 2) Maxi-Grill<sup>TM</sup> with Pro-Trac<sup>TM</sup> Telescopic Sliders and conventional electric oven
- (3) 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- (5) Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock<sup>TM</sup>
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

Black: 444444507 Stainless Steel: 444444508



36

## RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Richmond Deluxe S900DF	Richmond Deluxe S900DF GTG	Richmond Deluxe S900Ei	Richmond Deluxe S900G	Richmond Deluxe S1000DF	Richmond Deluxe S1000DF GTG	Richmond Deluxe S1000Ei	Richmond Deluxe S1000G	Richmond Deluxe S1100DF	Richmond Deluxe S1100DF GTG	Richmond Deluxe S1100Ei	Richmond Deluxe S1100G	Richmond S900DF	Richmond S900Ei	Richmond S1000DF	Richmond S1000Ei	Richmond S1100DF	Richmond S1100Ei
Product description	900mm Dual Fuel Range Cooker	900mm Dual Fuel Gas-Through-Glass Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Dual Fuel Gas-Through-Glass Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Dual Fuel Gas-Through-Glass Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker
Fuel	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Dual Fuel	Electric	Dual Fuel	Electric
Number of ovens Warranty period	4 <sup>†</sup> 5 Year Parts & 1 Year Labour	4 <sup>†</sup> 5 Year Parts & 1 Year Labour	4 <sup>†</sup> 5 Year Parts & 1 Year Labour	3† 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts &1 Year Labour	4 5 Year Parts & 1 Year Labour	3 5 Year Parts & 1 Year Labour	3 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour	4 5 Year Parts & 1 Year Labour
Нор	5 Gas Burners Medium (2 OkW) Small (LOW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Gas Burners Large (3.0kW) Medium (2.0kW) Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large induction (23 - 3.7kW) Small Induction (115 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Gas Burners Medium (2,0kW) Small (1,0kW) Wok (4,0kW) Large (3,0kW) Medium (2,0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burmers Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (1.6 - 3.0kW) Large Induction (1.2 - 3.7kW) Small Induction (1.1 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wolk (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automabic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Automato: (gnition Thermocouples (Flame safety device)	6 Gas Burners Wok (S.OkW) Medium (2.OkW) Large (3.OkW) Small (1.0kW) Medium (2.0kW) Wok (S.OkW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (1.6 - 3.0kW) Large Induction (1.5 - 2.2kW) Medium Induction (1.5 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wolk (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pasuports Automatic ignition Thermocouples (Flame safety device)	5 Gas Burners Medium (2,0kW) Small (1,0kW) Wok (4,0kW) Large (3,0kW) Medium (2,0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (16 - 3 OkW) Medium Induction (16 - 3 OkW) Large Induction (2.3 - 3.7kW) Small Induction (13 - 2.2kW) Medium Induction (14 - 3 OkW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (I.OkW) Medium (2.OkW) Medium (2.0kW) Small (I.OkW) Wok (4.OkW) Large (3.OkW) Medium (2.OkW) Cast iron pa supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (13 - 3.7kW) Small Induction (15 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/Sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	S Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (16 - 3.0kW) Large Induction (15 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface
Cavity 1	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml H. 420mml V. 430mml Power: 1.4Kwh (Oven). 2.7kwh (Grill) Consumption: 0.59kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mml W. 4357mml Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml x 420mml x 430mml Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mml X 357mml Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml x 420mml x 430mml Power. 14Kwh (Owen,) 27Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves. 2 positions Usable area of shelves: 407mml x 357mml Drop-down door	Top left position Gas grill 37 actua/ 75 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD 2 were: 24Kwh 2 shelf positions Double extending removable telescopic shelves. 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml + x420mmW + x430mmD Power: 14Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml x 420mml x 430mml Power 1.4kwh (Oven), 2.7kwh (Grill) Consumption: 0.59kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mml x 357mml Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: B0mmH x 420mmW x 430mmD Power: 14Kwh (Oven), 27Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable carity dimensions: 180mml x 420mmW x 430mmD Power: 17Kwh (Oven), 27Kwh (Grill) Consumption: 092Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimersions: I80mml + 470mml w 430mml Power: 14Kwh (Owen), 27Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mml w 357mml Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mml + 470mml × 430mml Power: 14Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mml × 357mml Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: IBOmini 4 x 470mml W x 430mml Power: 14Kwh (Oven), 27Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions: Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mml W x 357mml Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 41 actual / 27 litre usable capacity Usable carvity dimensions: 180mml x 470mmW x 430mm0 Power: 17Kwh (Oven), 27Kwh (Grill) Consumption: 133Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mmW x 307mm0 Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: IBOmmiN x 20mm W x 430mm D Power: 14Kwh (Oven), 27Kwh (Grill) Consumption: 059Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mm W x 357mm D Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml + x420mmW + x430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml + x420mmW + x450mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: IBOmmIN 420mmIN 430mmD Power: 14Kwh (Owen), 27Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves: 2 positions Usable area of shelves: 407mmN x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: I80mmH x 470mmW x 430mmD Power: 14Kwh (Oven), 27Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 70mmW x 430mmD Power: I.4Kwh (Oven, 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door
Cavity 2	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base h	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat tonly Base heat tonly Base heat only Usable Capacity Usable Capacity Usable Capacity Usable Cavity dimensions: 325mmH x 420mmW x 395mmD Power 20Kwh (Oven). TXwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves. 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable carity dimensions: 325mml x 420mmW x 395mmD Power 2.08km (Oven). T3/km (Grill) Consumption: 0.73kwh (Forced air) 0.76kwh (Cornentional) 2. shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable carity dimensions: 325mmH x 420mmW x 315mmD Power 2.5Kwh Consumption: 1.70Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base h	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power 220Kwh (Oven), 17Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fann) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 20Kwh (Oven), 17kwh (Grill) Consumption: 0.75Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves. 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable carvity dimensions: 325mmH x 420mmW x 315mmD Power: 25Kwh Consumption: 1.49Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves; 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable caivty dimensions: 325mmH x 470mmW x 395mmD Power 2 (Dkw (Oven), 173wth (Grill) Consumption: 0.71kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 little usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 20Kwh (Oven). 17Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Fletteric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Panned electric oven Defrost Intensive bake (top, bottom & fan) Top heat orily Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 2.0Km (Oven), 17km (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2. shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable carity dimensions: 325mmH x 470mmW x 315mmD Power: 25Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power - 20KMr (Oven), 17KMr (Grill) Consumption: 0,73KMr (Forced air) 0,76KMr (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual /54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 20Kwh (Oven). TYKwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conomentional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Usable Capacity Usable Capacity Usable Carvity dimensions: 325mmH x 420mmW x 395mmD Power: 20Kwh (Oven). TXWh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves. 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable carbot electric view of the control of the contr	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Panned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litte usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 20KM (Oven), 17kM (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 2.0k/mk (Oven), 17k/mk (Grill) Consumption: 0.7lk/wh (Forced air) 0.79k/m (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 557mmD Halogen light Easy clean ename linterior Slide opening door Viewing window





## RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Richmond Deluxe S900DF	Richmond Deluxe S900DF GTG	Richmond Deluxe S900Ei	Richmond Deluxe S900G	Richmond Deluxe S1000DF	Richmond Deluxe S1000DF GTG	Richmond Deluxe S1000Ei	Richmond Deluxe S1000G	Richmond Deluxe S1100DF	Richmond Deluxe S1100DF GTG	Richmond Deluxe S1100Ei	Richmond Deluxe S1100G	Richmond S900DF	Richmond S900Ei	Richmond S1000DF	Richmond S1000Ei	Richmond S1100DF	Richmond S1100Ei
	Right position Second oven	Right position Second oven	Right position Second oven	Right position Second oven	Top right position	Top right position	Top right position		Top right position	Top right position	Top right position		Right position	Right position	Top right position	Top right position	Top right position	Top right position
	Electric tall split fanned oven/grill	Second oven	Second oven	Second oven		Second oven	Second oven	Second oven		Second oven Electric tall fanned oven	Second oven Electric tall fanned oven	Second oven	Second oven	Second oven	Second oven			
	5 functions: Fixed rate electric grill	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Top right position	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Top right position	4 functions:	4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:			
	Fanned electric oven	Fanned electric oven	Second oven Gas Conventional Oven	Fanned electric oven	Fanned electric oven	Fanned electric oven	Second oven Gas Conventional Oven	Fanned electric oven Slow cook	Fanned electric oven Slow cook	Fanned electric oven	Fanned electric oven	Fanned electric oven	Fanned electric oven					
	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	A energy rating	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	A energy rating	Keep warm/plate warm function	Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function
	Dough proving	Dough proving	64 actual / 59 litre usable capacity Usable cavity dimensions:	Dough proving	Dough proving	Dough proving	71 actual / 66 litre usable capacity Usable cavity dimensions:	Dough proving A energy rating	Dough proving A energy rating	Dough proving	Dough proving	Dough proving	Dough proving					
	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	350mmH x 420mmW x 315mmD	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	350mmH x 470mmW x 315mmD	94 actual / 87 litre usable capacity	94 actual / 87 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity
Cavity 3	Usable cavity dimensions:	Usable cavity dimensions:	Power: 2.5Kwh	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Power: 2.5Kwh Consumption: 1.79Kwh (Conventional)	Usable cavity dimensions: 620mmH x 350mmW x 395mmD	Usable cavity dimensions: 620mmH x 350mmW x 395mmD	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:					
	620mmH x 350mmW x 395mmD Power: 3.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	2 shelves, 6 shelf positions	Power: 2.5Kwh	Power: 2.5Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh			
	Consumption: 0.94Kwh (Forced air)	Consumption: 0.67Kwh (Forced air)	Consumption: 0.67Kwh (Forced air)	Consumption: 0.67Kwh (Forced air)	4 telescopic shelve positions	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	4 telescopic shelve positions	Consumption: 0.81Kwh (Forced air)	Consumption: 0.81Kwh (Forced air)	Consumption: 0.67Kwh (Forced air)	Consumption: 0.67Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)			
	3 shelves, 8 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	Usable area of shelves: 407mmW x 357mmD	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	Usable area of shelves: 407mmW x 307mmD	3 shelves, 8 shelf positions 8 telescopic shelf positions	3 shelves, 8 shelf positions 8 telescopic shelf positions	2 shelves, 6 shelf positions 4 telescopic shelve positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions			
	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	Halogen light	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	Halogen light	Usable area of shelves:	Usable area of shelves:	Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:
	339mmW x 357mmD	339mmW x 357mmD	339mmW x 357mmD	339mmW x 357mmD	407mmW x 357mmD	407mmW x 357mmD	407mmW x 357mmD	Easy clean enamel interior Side opening door	467mmW x 357mmD	467mmW x 357mmD	467mmW x 357mmD	Easy clean enamel interior Side opening door	339mmW x 357mmD Halogen light	339mmW x 357mmD Halogen light	407mmW x 357mmD	407mmW x 357mmD	467mmW x 357mmD	467mmW x 357mmD
	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Fasy clean enamel interior	Halogen light Easy clean enamel interior		Halogen light Fasy clean enamel interior	Halogen light Fasy clean enamel interior	Halogen light Fasy clean enamel interior		Easy clean enamel interior	Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior
	Side opening door	Side opening door		Side opening door	Side opening door	Side opening door		Side opening door Door thermometer	Side opening door Door thermometer	Side opening door	Side opening door	Side opening door	Side opening door					
	Door thermometer	Door thermometer	Door thermometer	Door thermometer	Bottom right position	Pottom right position	Bottom right position	Bottom right position	Rottom right position	Bottom right position	Bottom right position	Bottom right position			Pottom right position	Bottom right position	Bottom right position	Bottom right position
					Fourth oven	Bottom right position Fourth oven	Fourth oven	Fourth oven	Bottom right position Fourth oven	Fourth oven	Fourth oven	Fourth oven			Bottom right position Fourth oven	Fourth oven	Fourth oven	Fourth oven
					Electric slow cooker Slow cook function	Electric slow cooker Slow cook function	Electric slow cooker	Electric slow cooker Slow cook function	Electric slow cooker Slow cook function	Electric slow cooker Slow cook function	Electric slow cooker	Electric slow cooker			Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker
Cavity 4					37 actual / 37 litre usable capacity	37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	37 actual / 37 litre usable capacity	41 actual / 41 litre usable capacity	41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity			Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity
					Usable cavity dimensions: 200mmH x 420mmW x 430mmD	Usable cavity dimensions: 200mmH x 420mmW x 430mmD	Usable cavity dimensions: 200mmH x 420mmW x 430mmD	Usable cavity dimensions:	Usable cavity dimensions: 200mmH x 470mmW x 430mmD	Usable cavity dimensions: 200mmH x 470mmW x 430mmD	Usable cavity dimensions: 200mmH x 470mmW x 430mmD	Usable cavity dimensions: 200mmH x 470mmW x 430mmD			Usable cavity dimensions:	Usable cavity dimensions: 200mmH x 420mmW x 430mmD	Usable cavity dimensions: 200mmH x 470mmW x 430mmD	Usable cavity dimensions: 200mmH x 470mmW x 430mmD
					Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh	200mmH x 420mmW x 430mmD Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh			200mmH x 420mmW x 430mmD Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh	Power: 0.16Kwh
					Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door			Drop-down door	Drop-down door	Drop-down door	Drop-down door
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Zeus Bluetooth Connected Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes						
Proflex Splitter	Yes	Yes	Yes	Yes														
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rear wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Removable cast griddle plate	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes		Yes		Yes	
Wok cradle	Yes	Yes		Yes	Yes	Yes, 2		Yes	Yes	Yes, 2		Yes						
Steam & Infuse	Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes							
Full width oven pan - deep	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2					
Full width oven pan -	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2					
reversible trivet Oven/grill pan handle	Yes, 2	Yes, 2	Yes. 2	Yes, 2	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes, 2	Yes. 2	Yes 1	Yes 1	Yes 1	Yes, 1
LPG conversion kit			163, 2	165, 2	123	1-22,1	165, 1	163, 1	125,1	122,1	165,1	165,1		165, 2	122,1	163, 1	122)	165, 1
(available separately)	Yes	Yes			Yes	Yes			Yes	Yes			Yes		Yes		Yes	
	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Shelves	Hob burners Pan supports	Shelves
Removable parts (for cleaning)	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Telescopic shelves	Shelves	Telescopic shelves	Shelves	Telescopic shelves
(for cleaning)	Telescopic shelves	Telescopic shelves	Shelf guides	Telescopic shelves	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves	Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves	Shelf guides	Telescopic shelves	Shelf guides
Gas type	Shelf guides Nat Gas	Shelf guides Nat Gas		Shelf guides Nat Gas	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Shelf guides Nat Gas		Nat Gas	Nat Gas		Shelf guides Nat Gas		Shelf guides Nat Gas	
Gas inlet type	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female		1/2" BSP female	
Gas inlet position	Rear right	Rear right		Rear right	Rear right	Rear right		Rear right	Rear right	Rear right		Rear right	Rear right		Rear right		Rear right	
LPG convertible	Yes	Yes			Yes	Yes			Yes	Yes			Yes		Yes		Yes	
Hard wired	Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes
Electrical connection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Supply voltage Total electrical	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V
power load	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW	15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW	8.45kW	15.85kW	8.13kW	15.53kW	8.13kW	15.53kW
Total gas power load	12kW	13kW		16.9kW	15kW	18kW		21.7kW	15kW	18kW		21.7kW	12kW		12kW		12kW	
Fuse size	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	32A	32A	32A
Dimensions – packed	1045mmH x 1045mmW x 740mmD 104.45kg	1045mmH x 1045mmW x 740mmD 96.25ka	1045mmH x 1045mmW x 740mmD 92.4ka	1045mmH x 1045mmW x 740mmD 97.95ka	1045mmH x 1130mmW x 740mmD 105.6ka	1045mmH x 1130mmW x 740mmD 111.35kg	1045mmH x 1130mmW x 740mmD 96.5kg	1045mmH x 1130mmW x 740mmD 100.15ka	1045mmH x 1230mmW x 740mmD 114.5kg	1045mmH x 1230mmW x 740mmD 121ka	1045mmH x 1230mmW x 740mmD 99.9kg	1045mmH x 1230mmW x 740mmD 108.7kg	1045mmH x 1045mmW x 740mmD 101.2kg	1045mmH x 1045mmW x 740mmD 89.6ka	1045mmH x 1130mmW x 740mmD 104.2kg	1045mmH x 1130mmW x 740mmD 95.8kg	1045mmH x 1230mmW x 740mmD 113.3kg	1045mmH x 1230mmW x 740mmD 99.2kg
Dimensions - product	900-930mmH x 896mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 1096mmW x 600mmD	900-930mmH x 1096mmW x 600mmD	900-930mmH x 91096mmW x 600mmD	900-930mmH x 1096mmW x 600mmD	900-930mmH x 896mmW x 600mmD	900-930mmH x 896mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 996mmW x 600mmD	900-930mmH x 1096mmW x 600mmD	900-930mmH x 1096mmW x 600mmD			
•	97.45kg	89.25kg	85.4kg	91kg	98.6kg	104.35kg	89.5kg	93.15kg	107.5kg	114kg	92.9kg	101.7kg	94.2kg	82.6kg	97.2kg	88.8kg	106.3kg	92.2kg
Black SKU code Black model name	444444897 ST RICH DX S900DF BK	444444899 ST DICU DV 5000DE CTC DV	444444905 ST DICLUDY SOODE: BIX	444444903	444444907	444444909	444444915 ST RICH DX S1000Ei BK	444444913	44444917 ST RICH DX S1100DF BK	444444919 ST DICLUDY S1100DE CTC DV	444444925	44444923 ST RICH DX S1100G BK	444444435	44444445	44444451 ST RICH S1000DF BK	44444460 ST RICH S1000Ei BK	44444466 ST RICH S1100DF BK	444444475
Classic Cream SKU code	51 RICH DX S900DF BK 44444898	ST RICH DX S900DF GTG BK 444444900	ST RICH DX S900Ei BK 444444906	ST RICH DX S900G BK 44444904	ST RICH DX S1000DF BK 444444908	ST RICH DX S1000DF GTG BK 444444910	51 RICH DX S1000EI BK 444444916	ST RICH DX S1000G BK 444444914	444444918	ST RICH DX S1100DF GTG BK 444444920	ST RICH DX S1100Ei BK 44444926	44444924	ST RICH S900DF BK 44444436	ST RICH S900Ei BK 44444446	51 RICH SIDUODE BK 44444452	51 RICH S1000EI BK 44444461	44444467	ST RICH S1100Ei BK 444444476
Classic Cream												ST RICH DX S1100G CC		ST RICH S900Fi CC		ST RICH S1000Fi CC		
model name	ST RICH DX S900DF CC	ST RICH DX S900DF GTG CC	ST RICH DX S900Ei CC	ST RICH DX S900G CC	ST RICH DX S1000DF CC	ST RICH DX S1000DF GTG CC	ST RICH DX S1000Ei CC	ST RICH DX S1000G CC	ST RICH DX S1100DF CC	ST RICH DX S1100DF GTG CC	ST RICH DX S1100Ei CC	21 KICH DV 211000 CC	ST RICH S900DF CC	ST KICH SYUUELUC	ST RICH S1000DF CC	31 KICH SIUUUEI CC	ST RICH S1100DF CC	ST RICH S1100Ei CC

40

## STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Sterling Deluxe S900DF	Sterling Deluxe S900DF GTG	Sterling Deluxe S900Ei	Sterling Deluxe S900G	Sterling Deluxe S1000DF	Sterling Deluxe S1000DF GTG	Sterling Deluxe S1000Ei	Sterling Deluxe S1000G	Sterling Deluxe S1100DF	Sterling Deluxe S1100DF GTG	Sterling Deluxe S1100Ei	Sterling Deluxe S1100G	Sterling S900DF	Sterling S900Ei	Sterling S1000DF	Sterling S1000Ei	Sterling S1100DF	Sterling S1100Ei
Product description	900mm Dual Fuel Range Cooker	900mm Dual Fuel Gas-Through-Glass Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Dual Fuel Gas-Through-Glass Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Dual Fuel Gas-Through-Glass Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker
Fuel	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Dual Fuel	Electric	Dual Fuel	Electric
Number of ovens	4 <sup>†</sup>	4 <sup>†</sup>	4 <sup>†</sup>	3 <sup>†</sup>	4	4	4	4	4	4	4	4	3	3	4	4	4	4
Warranty period  Hob	5 Year Parts & 1 Year Labour  5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Gast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour  5 Gas Burners Large (3.0kW) Medium (2.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (21 - 3.0kW) Small Induction (13 - 2.2kW) Medium Induction (15 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotiplate) Digital power display 10 power levels (incl boost) Keep warm function Pan detection Pan overheat detection Pan overheat detection Child lock Boost function 3 presets (melt/Sauce. keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Year Parts & 1 Year Labour  5 Gas Burners Medium (20kW) Small ((DkW) Wok (40kW) Large (30kW) Medium (20kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour  7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (S.DKW) Medium (2.DKW) Large (3.DKW) Small (1.DKW) Medium (2.DKW) Medium (2.DKW) Mok (S.DKW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & I Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (21 - 3.7kW) Small Induction (13 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (115 - 2.2kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan overlevels (incl. boost) Keep warm function Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Year Parts & 1 Year Labour  7 Gas Burners Small (LOkW) Medium (2OkW) Medium (2OkW) Small (LOkW) Wok (4OkW) Large (3OkW) Medium (2OkW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour  7 Gas Burners Small (LOKW) Medium (2.0kW) Medium (2.0kW) Small (LOKW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & I Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (21 - 3.0kW) Small Induction (21 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (mell/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Year Parts & 1 Year Labour  7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour  5 Gas Burners Medium (2.0kW) Small ((DkW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (25 - 3.7kW) Small Induction (15 - 2.2kW) Medium Induction (15 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/Sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Year Parts & 1 Year Labour  7 Gas Burners Small (JOkW) Medium (2.0kW) Medium (2.0kW) Small (JOkW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & 1 Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (21 - 3.0kW) Small Induction (15 - 2.2kW) Medium Induction (15 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Year Parts & 1 Year Labour  7 Gas Burners Small (LOKW) Medium (2.0kW) Medium (2.0kW) Small (LOKW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Year Parts & I Year Labour 5 Induction Zones Medium Induction (16 - 3.0kW) Medium Induction (16 - 3.0kW) Large Induction (21 - 3.0kW) Small Induction (215 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (115 - 2.2kW) Medium Induction (14 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface
Cavity 1	Top left position Third oven Electric conventional oven and grill 3 Tunctions. Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions. 180mmH x 420mmW x 430mmD Power: 14kwh (Oven). 27kwh (Grill) Consumption: 0.67kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves. 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 450mmD Power: 144Wh (Oven). 27Why (Grill) Consumption: 0.67Wwh (Conventional) 2 shelf positions Double extending removable telescopic shelves: 2 positions Usable area of shelves: 407mmW x 557mmD Drox-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions. 180mmH x 420mmW x 430mmD Power-144km (Oven). 27kmh (Gril) Consumption: 067kmh (Conventional) 2 shelf positions Double extending removable telescopic shelves: 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mml + x 420mml w 430mmD Power, 2.4Kwh 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 450mmD Dower: 14kWn (Oven), 27kWn (Grill) Consumption: 0.67kWn (Conventional) 2 self positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 557mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: I4KWh (Oven). ZYKWh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 357mmD Droo-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 450mmD Power 14KM(Oven). 27KM (Grill) Consumption: 0.67KM (Conyentional) 2-belf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 537mmD Drox-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions. Fixed rate dual circuit electric grill Conventional gas oven A + energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 20mmW x 40mmD Power: 17kwh (Oven), 2.7kwh (Grill) Consumption: 0.92kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 450mmD Dower: 144km (Oven). 274km (Grill) Consumption: 0.66kM (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drog-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions. 180mml+ x 470mml x 430mmD Power 144km (Oven). 27km (Grill) Consumption: 0.66k/wh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmlW x 357mmD Droor-down door	Top left position Third oven Electric conventional oven and grill Stunctions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 450mmD Power L4kWh (Oven). 27kWh (Grill) Consumption: 0.66KWh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual /27 litre vasble capacity Usable cavity dimensions: 180mmH x 470mmW x 450mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.33Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power L4KM(Oven), 27KM (Gnill) Consumption: 0.67KM (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 537mmD Drox-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml + x20mml W x40mmD Power L4Kwh (Oven), 27 Kwh (Grill) Consumption: 0.67 Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mml W x57mml Droy-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 14Kwh (Oven), 27Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mmW x 557mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mml H x 20mml W x 430mmD Power L4Kwh (Oven), 27 Kwh (Grill) Consumption: 0.67 Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves; 2 positions Usable area of shelves: 407mml W x 557mmD Droy-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmls x/70mmlW x/40mmlD Power: L4Kwh (10ven), 27Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmlW x/557mmlD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions. Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 450mmD Power: 14kWh (Oven). 27kWh (Grill) Consumption: 0.66KWh (Conventional) 2 self positions Double extending removable telescopic shelves. 2 positions Usable area of shelves: 467mmW x 557mmD Drop-down door
Cavity 2	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base h	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power 2.0KWh (Oven), 17KWh (Grill) Consumption: 0.73KWh (Forced air) 0.77KWh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable carity dimensions: 325mmH x 420mmW x 395mmD Power 2.0KM (Oven). TAWh Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves. 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5kwh Consumption: 170kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 20kWh (Oven), 12Wh (Grill) Consumption: 0.73kWh (Forced air) 0.77kWh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean ename Interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat on	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power 2 Dkwh (Oven), 127kw (Grill) Consumption: 0.77kwh (Forced air) 0.76kwh (Conventional) 0.76kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Haliogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power; 25kWh Consumption: 1,49Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves; 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean ename linterior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions. Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 20kwh (Oven), 174wh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Comentional) 2 shekes, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean ename Interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions. Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 2.0KWh (Oven). TiXeh (Grill) Consumption: 0.76Kwh (Forced air) 0.8IIKwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 12Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.8IlKwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 537mmD Haliogen light Easy clean enamel interior Side opening door Veeving window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mml + x 470mmW x 315mmD Power: 2.5kwh Consumption: 1.79kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 507mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable carvity dimensions: 325mmH x 420mmW x 395mmD Power 2.0Kwh (Oven), 17Kwh Grill Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable carvity dimensions: 325mmH x 420mmW x 395mmD Power 20kwh (Oven), 174wh Grill) Consumption: 0.73kwh (Forced air) 0.77kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base h	Bottom left position Main oven Electric multifunction oven Programmable oven If functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power 2 Okkin (Oven), 17Xwth Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 557mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top hop, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power 2.0k/wh (Oven), 174/wh (Grill) Consumption: 0.76k/wh (Forced air) 0.81k/wh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean ename Interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven Il functions: Variable rate electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top (hop, bottom & fan) Top heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 20kWh (Oven), 17kWh (Grill) Consumption: 0.76kWh (Forced air) 0.8IlkWh (Conventional) 2 shekes, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean ename Interior Side opening door







42

## STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Sterling Deluxe S900DF	Sterling Deluxe S900DF GTG	Sterling Deluxe S900Ei	Sterling Deluxe S900G	Sterling Deluxe S1000DF	Sterling Deluxe S1000DF GTG	Sterling Deluxe S1000Ei	Sterling Deluxe S1000G	Sterling Deluxe S1100DF	Sterling Deluxe S1100DF GTG	Sterling Deluxe S1100Ei	Sterling Deluxe S1100G	Sterling S900DF	Sterling S900Ei	Sterling S1000DF	Sterling S1000Ei	Sterling S1100DF	Sterling S1100Ei
	Right position Second oven	Right position Second oven	Right position Second oven	Right position Second oven	Top right position	Top right position	Top right position		Top right position	Top right position	Top right position		Right position Second oven	Right position Second oven	Top right position	Top right position	Top right position	Top right position
	Electric tall split fanned oven/grill	Electric tall split fanned oven/grill 5 functions:	Electric tall split fanned oven/grill 5 functions:	Electric tall split fanned oven/grill 5 functions:	Second oven	Second oven	Second oven Electric fanned oven		Second oven Electric fanned oven	Second oven Electric fanned oven	Second oven		Electric tall fanned oven	Electric tall fanned oven	Second oven Electric fanned oven	Second oven	Second oven	Second oven Electric fanned oven
	5 functions: Fixed rate electric grill	Fixed rate electric grill	Fixed rate electric grill	Fixed rate electric grill	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	4 functions:	Top right position	4 functions:	4 functions:	Electric fanned oven 4 functions:	Top right position	4 functions:	4 functions:	4 functions:	Electric fanned oven 4 functions:	Electric fanned oven 4 functions:	4 functions:
	Fanned electric oven	Fanned electric oven	Fanned electric oven	Second oven Gas Conventional Oven	Fanned electric oven	Fanned electric oven	Fanned electric oven	Second oven Gas Conventional Oven	Fanned electric oven Slow cook	Fanned electric oven Slow cook	Fanned electric oven	Fanned electric oven	Fanned electric oven	Fanned electric oven				
	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	A energy rating	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	A energy rating	Keep warm/plate warm function	Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function	Slow cook Keep warm/plate warm function
	Dough proving	Dough proving	Dough proving	64 actual / 59 litre usable capacity Usable cavity dimensions:	Dough proving	Dough proving	Dough proving	71 actual / 66 litre usable capacity Usable cavity dimensions:	Dough proving A energy rating	Dough proving A energy rating	Dough proving	Dough proving	Dough proving	Dough proving				
	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 94 actual / 79 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	350mmH x 420mmW x 315mmD	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	350mmH x 470mmW x 315mmD	94 actual / 87 litre usable capacity	94 actual / 87 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 64 actual / 57 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity	A energy rating 71 actual / 64 litre usable capacity
Cavity 3	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Power: 2.5Kwh Consumption: 1.51Kwh (Conventional)	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Power: 2.5Kwh Consumption: 1.79Kwh (Conventional)	Usable cavity dimensions: 620mmH x 350mmW x 395mmD	Usable cavity dimensions: 620mmH x 350mmW x 395mmD	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:				
	620mmH x 350mmW x 395mmD Power: 2.5Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	2 shelves, 6 shelf positions	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	2 shelves, 6 shelf positions	Power: 2.5Kwh	Power: 2.5Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 420mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh	350mmH x 470mmW x 395mmD Power: 2.0Kwh			
	Consumption: 0.94Kwh (Forced air)	Consumption: 0.66Kwh (Forced air)	Consumption: 0.66Kwh (Forced air)	Consumption: 0.66Kwh (Forced air)	4 telescopic shelve positions	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	4 telescopic shelve positions	Consumption: 0.94Kwh (Forced air)	Consumption: 0.94Kwh (Forced air)	Consumption: 0.66Kwh (Forced air)	Consumption: 0.66Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)	Consumption: 0.75Kwh (Forced air)			
	3 shelves, 8 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	Usable area of shelves: 407mmW x 357mmD	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	Usable area of shelves: 407mmW x 307mmD	3 shelves, 8 shelf positions 8 telescopic shelf positions	3 shelves, 8 shelf positions 8 telescopic shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions	2 shelves, 6 shelf positions			
	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	8 telescopic shelf positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	Halogen light	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	Halogen light	Usable area of shelves:	Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:	4 telescopic shelve positions Usable area of shelves:
	339mmW x 357mmD	339mmW x 357mmD	339mmW x 357mmD	339mmW x 357mmD	407mmW x 357mmD	407mmW x 357mmD	407mmW x 357mmD	Easy clean enamel interior Side opening door	467mmW x 357mmD	467mmW x 357mmD	467mmW x 357mmD	Easy clean enamel interior Side opening door	339mmW x 357mmD Halogen light	339mmW x 357mmD Halogen light	407mmW x 357mmD	407mmW x 357mmD	467mmW x 357mmD	467mmW x 357mmD
	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Fasy clean enamel interior	Halogen light Easy clean enamel interior	orac operang acon	Halogen light  Fasy clean enamel interior	Halogen light  Fasy clean enamel interior	Halogen light Fasy clean enamel interior	olde opening door	Easy clean enamel interior	Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior	Halogen light Easy clean enamel interior
	Side opening door	Side opening door	Side opening door		Side opening door	Side opening door	Side opening door		Side opening door Door thermometer	Side opening door Door thermometer	Side opening door	Side opening door	Side opening door	Side opening door				
	Door thermometer	Door thermometer	Door thermometer	Door thermometer									Door dictrionical	Door thermometer				
					Bottom right position Fourth oven	Bottom right position Fourth oven	Bottom right position Fourth oven	Bottom right position Fourth oven	Bottom right position Fourth oven			Bottom right position Fourth oven						
					Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker			Electric slow cooker	Electric slow cooker	Electric slow cooker	Electric slow cooker
Cavity 4					Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity			Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 37 actual / 37 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity	Slow cook function 41 actual / 41 litre usable capacity
curry -					Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:			Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:	Usable cavity dimensions:
					200mmH x 420mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh			200mmH x 420mmW x 430mmD Power: 0.16Kwh	200mmH x 420mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh	200mmH x 470mmW x 430mmD Power: 0.16Kwh			
					Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door	Drop-down door			Drop-down door	Drop-down door	Drop-down door	Drop-down door
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Zeus Bluetooth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes						
Connected Timer Proflex Splitter	Ves	Ves	Yes	Ves														
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Ves	Yes	Yes	Yes	Yes	Yes
Rear wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Removable cast	Vos	Vos		Yes	Vos	Yes		Voc	Voe	Yes		Yes	Yes		Yes		Yes	
griddle plate	ies	ies		165	ies			ies	165			ies	les les		ies		ies	
Wok cradle	Yes	Yes	V	Yes	Yes	Yes, 2	V	Yes	Yes	Yes, 2		Yes						
Steam & Infuse Full width oven pan	Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes							
- deep	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2				
Full width oven pan – reversible trivet	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2				
Oven/grill pan handle	Yes, 2	Yes, 2	Yes. 2	Yes. 2	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes 1	Yes, 2	Yes. 2	Yes 1	Yes 1	Yes 1	Yes, 1
LPG conversion kit			163, 2	100, 2	122,1	1-22,1	103,1	100, 1		122,1	103, 1	10,1		103, 2	124,	103, 1	122)	100,1
(available separately)	Yes	Yes			Yes	Yes			Yes	Yes			Yes		Yes		Yes	
	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Hob burners Pan supports	Shelves	Hob burners Pan supports	Shelves	Hob burners Pan supports	Shelves
Removable parts (for cleaning)	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Shelves	Telescopic shelves	Shelves	Shelves	Telescopic shelves	Shelves	Telescopic shelves	Shelves	Telescopic shelves
(for cicuming)	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Shelf guides	Telescopic shelves Shelf guides	Shelf guides
Gas type	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Nat Gas		Nat Gas	Nat Gas		Nat Gas		Nat Gas	
Gas inlet type	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female		1/2" BSP female	
Gas inlet position	Rear right	Rear right		Rear right	Rear right	Rear right		Rear right	Rear right	Rear right		Rear right	Rear right		Rear right		Rear right	
LPG convertible	Yes	Yes			Yes	Yes			Yes	Yes			Yes		Yes		Yes	
Hard wired	Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes
Electrical connection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Supply voltage	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V
Total electrical power load	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW	15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW	8.45kW	15.85kW	8.13kW	15.53kW	8.13kW	15.53kW
Total gas power load	12kW	13kW		16.8kW	15kW	18kW		21.7kW	15kW	18kW		21.7kW	12kW		12kW		12kW	
Fuse size	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	13A	32A	32A	32A	32A	32A	32A
Dimensions – packed	1045mmH x 1045mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1230mmW x 740mmD	1045mmH x 1230mmW x 740mmD	1045mmH x 1230mmW x 740mmD	1045mmH x 1230mmW x 740mmD	1045mmH x 1045mmW x 740mmD	1045mmH x 1045mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1130mmW x 740mmD	1045mmH x 1230mmW x 740mmD	1045mmH x 1230mmW x 740mmD			
Dimensions - packed	105.95kg	97.75kg	93.9kg	99.45kg	97.4kg	112.85kg	92.9kg	101.7kg	105.7kg	122.7kg	101.4kg	110.4kg	102.7kg	91.3kg	96kg	92.2kg	104.3kg	100.7kg
Dimensions – product	900-930mmH x 896mmW x 600mmD 98.95kg	900-930mmH x 896mmW x 600mmD 90.75kg	900-930mmH x 896mmW x 600mmD 86.9kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 90.4kg	900-930mmH x 996mmW x 600mmD 105.85kg	900-930mmH x 996mmW x 600mmD 85.9kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 98.7kg	900-930mmH x 1096mmW x 600mmD 115.7kg	900-930mmH x 91096mmW x 600mmD 94.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg	900-930mmH x 896mmW x 600mmD 95.7kg	900-930mmH x 896mmW x 600mmD 84.3kg	900-930mmH x 996mmW x 600mmD 89kg	900-930mmH x 996mmW x 600mmD 85.2kg	900-930mmH x 1096mmW x 600mmD 97.3kg	900-930mmH x 1096mmW x 600mmD 93.7kg
Black SKU code	444444931	444444933	444444939	444444935	44444941	444444943	44444949	44444945	444444951	444444953	444444959	444444955	44444481	44444487	44444491	44444497	444444501	444444507
Black model name	ST STER DX S900DF BK	ST STER DX S900DF GTG BK	ST STER DX S900Ei BK	ST STER DX S900G BK	ST STER DX S1000DF BK	ST STER DX S1000DF GTG BK	ST STER DX S1000Ei BK	ST STER DX S1000G BK	ST STER DX S1100DF BK	ST STER DX S1100DF GTG BK	ST STER DX S1100Ei BK	ST STER DX S1100G BK	ST STER S900DF BK	ST STER S900Ei BK	ST STER S1000DF BK	ST STER S1000Ei BK	ST STER S1100DF BK	ST STER S1100Ei BK
Classic Cream SKU code	44444932	44444934	44444940	444444936	44444942	44444944	44444950	44444946	44444952	444444954	44444960	444444956	44444482	44444488	44444492	44444498	444444502	444444508
Stainless Steel	ST STER DX S900DF SS	ST STER DX S900DF GTG SS	ST STER DX S900Ei SS	ST STER DX S900G SS	ST STER DX S1000DF SS	ST STER DX S1000DF GTG SS	ST STER DX S1000Ei SS	ST STER DX S1000G SS	ST STER DX S1100DF SS	ST STER DX S1100DF GTG SS	ST STER DX S1100Ei SS	ST STER DX S1100G SS	ST STER S900DF SS	ST STER S900Ei SS	ST STER S1000DF SS	ST STER S1000Ei SS	ST STER S1100DF SS	ST STER S1100Ei SS
model name																		1



## MADE BETTER

Stoney Lane, Prescot, Merseyside L35 2XW stoves.co.uk

Stoves Customer Care 0344 815 3740

Product Information Helpline

0344 248 4149